



US00D352877S

United States Patent [19]

Chuang et al.

[11] Patent Number: **Des. 352,877**

[45] Date of Patent: **** Nov. 29, 1994**

[54] **HEAT SEALING IRON FOR MODEL AIRPLANE FILM COVERING**

4,896,019 1/1990 Hyun 219/243
5,252,806 10/1993 Hudson 219/228

[76] Inventors: **Chen-Chang Chuang**, No. 52-64, Alley 2, Lane 68, Cheng Kong Road, TaiLei, Taichung, Taiwan, Prov. of China; **Josh Kramer**, No. 420, Babylon Rd., Horsham, Pa. 19044

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey H. Musgrove
Attorney, Agent, or Firm—Beveridge, DeGrandi, Weilacher & Young

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **14,549**

The ornamental design for a heat sealing iron for model airplane film covering, as shown had described.

[22] Filed: **Oct. 26, 1993**

DESCRIPTION

[52] U.S. Cl. **D8/29.1**

[58] Field of Search **D8/29.1, 30; 219/228, 219/243, 245; D15/144**


FIG. 1 is the front elevational view of a heat sealing iron showing my new design;
FIG. 2 is the rear elevational view thereof;
FIG. 3 is the left side elevational view thereof;
FIG. 4 is the right side elevational view thereof;
FIG. 5 is the top plan view thereof;
FIG. 6 is the bottom plan view thereof; and,
FIG. 7 is the perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 161,323	12/1950	D'Harlingue	D8/29.1
2,841,682	7/1958	Skarsten	219/228
2,960,592	11/1960	Pierce	219/228
4,238,665	12/1980	Tremarco	219/228

The electrical cord has been shown broken away to illustrate undetermined length.






FIG. 1




FIG. 3




FIG. 4




FIG. 2




FIG. 5




FIG. 6




FIG. 7