



US00D352912S

United States Patent [19]
Crick

[11] **Patent Number: Des. 352,912**
[45] **Date of Patent: ** Nov. 29, 1994**

- [54] **TELECOMMUNICATIONS LINE NOISE MEASUREMENT DEVICE**
- [76] **Inventor: Robert G. Crick, 3002 Lloyd St., San Diego, Calif. 92117**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 7,468**
- [22] **Filed: Apr. 23, 1993**
- [52] **U.S. Cl. D10/78**
- [58] **Field of Search 324/156, 158 F, 522, 324/523, 524, 527, 528, 539, 612, 613, 614; 364/483; 379/21, 24, 26, 30; D10/78**
- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 240,409 7/1976 Roberts D10/78

D. 253,227 10/1979 Buck et al. D10/78


Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis

[57] **CLAIM**

The ornamental design for a telecommunications line noise measurement device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a telecommunications line noise measurement device showing my design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a side elevational view, the opposite side elevational view being a mirror image thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevational view thereof; and,
FIG. 6 is a back elevational view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6