



US00D352935S

United States Patent [19] Etoh

[11] Patent Number: **Des. 352,935**

[45] Date of Patent: **** Nov. 29, 1994**

[54] **OPTICAL SCANNER**

[75] Inventor: **Taro Etoh, Nagoya, Japan**

[73] Assignee: **Nippondenso Co., Ltd., Kariya, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **10,836**

[22] Filed: **Jun. 25, 1993**

[30] **Foreign Application Priority Data**

Dec. 25, 1992 [JP] Japan 4-38393

[52] U.S. Cl. **D14/116**

[58] Field of Search 235/375, 378, 454, 462,
235/472, 486; 354/80-82; 382/58-69;
250/203.1, 216, 566, 568; D14/100, 114, 116;
D26/37, 45, 50

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 293,795 1/1988 Yamamoto D14/116
- D. 319,436 8/1991 Matsushita D14/116
- D. 331,576 12/1992 Yamanaka D14/116

- D. 341,584 11/1993 Shepard et al. D14/116
- D. 342,064 12/1993 Harden D14/116

Primary Examiner—Wallace R. Burke
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for an optical scanner, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an optical scanner showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof, a rear elevational view being a mirror image of the front elevational view;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

The broken line drawings of a cord in FIGS. 1 and 2 are for illustrative purposes only and form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

