



US00D353141S

United States Patent [19]
Peersmann

[11] **Patent Number: Des. 353,141**
[45] **Date of Patent: ** Dec. 6, 1994**

[54] **TRAVEL RADIO ALARM CLOCK**
[75] **Inventor: Richard F. M. Peersmann, ET**
Scheveningen, Netherlands
[73] **Assignee: Pollyflame International B.V.,**
Roelofarendsveen, Netherlands
[**] **Term: 14 Years**
[21] **Appl. No.: 3,133**
[22] **Filed: Dec. 29, 1992**
[52] **U.S. Cl. D14/170**
[58] **Field of Search 368/10, 316, 317;**
D14/170, 171; D10/2, 18

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 232,771 9/1974 Hoshino et al. D14/170
D. 301,580 6/1989 Davidson D14/171
D. 303,934 10/1989 Iacovelli D10/2

D. 307,723 5/1990 Chan D10/18 X
D. 328,896 8/1992 Warburton D14/171
Primary Examiner—Bernard Ansher
Assistant Examiner—Mitchell I. Siegel
Attorney, Agent, or Firm—Foley & Lardner

[57] **CLAIM**
The ornamental design for a travel radio alarm clock, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a travel radio alarm clock showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof; and,
FIG. 8 is a perspective view thereof with the cover in the open position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

