



US00D353262S

United States Patent [19]

[11] Patent Number: **Des. 353,262**

Cantavespre et al.

[45] Date of Patent: **** Dec. 13, 1994**

[54] **ARM-MOUNTED STABILIZING BRACE FOR FISHING RODS**

4,519,159	5/1985	Fazio	43/25
4,624,069	11/1986	Schneider	43/21.2
5,159,775	11/1992	Sutala, Jr.	224/922 X
5,212,900	5/1993	Perry	43/21.2

[75] Inventors: **Sammy J. Cantavespre**, Birmingham; **Larry E. Cain**, Alabaster; **Frances C. Bertella**, Birmingham, all of Ala.

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Veal & Associates

[73] Assignee: **Rodmate, Inc.**, Birmingham, Ala.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for an arm-mounted stabilizing brace for fishing rods, as shown and described.

[21] Appl. No.: **11,054**

DESCRIPTION

[22] Filed: **Jul. 26, 1993**

FIG. 1 is a front perspective view of an arm-mounted stabilizing brace for fishing rods showing our new design;

[52] U.S. Cl. **D3/221; D22/139; D22/142; D22/147; D22/148**

FIG. 2 is a rear perspective view thereof;

[58] Field of Search **D3/221; 43/21.2, 25, 43/23, 22; 224/901, 922, 222, 219, 267; D22/134, 139, 142, 147, 148**

FIG. 3 is a front elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a side elevational view as seen from the left side of FIG. 3;


FIG. 7 is a side elevational view as seen from the right side of FIG. 3; and,

FIG. 8 is a perspective view thereof, the broken line showing of environment is for illustrative purposes only and forms no part of claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 330,243	10/1992	Asida	D22/139
2,653,406	9/1953	Gabiak et al.	43/25
2,869,276	1/1959	Hagen	43/25
3,367,056	2/1968	Johnson	43/25
4,014,129	3/1977	Capra	D22/142 X
4,190,977	3/1980	Casper	43/25 X






FIG. 1




FIG. 2

FIG. 3





FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8

