



US00D353389S

United States Patent [19]

[11] Patent Number: **Des. 353,389**

Shirai

[45] Date of Patent: **** Dec. 13, 1994**

[54] **35 MM CAMERA**

[75] Inventor: **Yoichi Shirai**, Tokyo, Japan

[73] Assignee: **Asahi Kogaku Kogyo Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **14,574**

[22] Filed: **Oct. 26, 1993**

[30] Foreign Application Priority Data

Apr. 27, 1993 [JP]	Japan	5-12579
[52] U.S. Cl.		D16/209
[58] Field of Search	354/126, 127.11, 149.11, 354/288, 195.1; D16/200-205, 208, 209, 216-218	

[56] References Cited

U.S. PATENT DOCUMENTS

D. 319,452	8/1991	Shiiba	D16/209
D. 327,699	7/1992	Horikiri	D16/209
D. 342,961	1/1994	Hamamura et al.	D16/209
D. 342,962	1/1994	Horikiri	D16/209
D. 343,406	1/1994	Giugiaro	D16/209
4,924,248	5/1990	Taniguchi et al.	354/195.1

OTHER PUBLICATIONS

Evans Catalog, 1988-1989 p. 307y (Canon's Sure Shot, item 4).

Primary Examiner—Melvin B. Feifer
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a 35 mm camera, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a 35 mm camera showing my new design;
 FIG. 2 is a rear, top and left side perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a right side elevational view thereof;
 FIG. 8 is a bottom plan view thereof; and,
 FIG. 9 is a front, top and right side perspective view thereof with a lens system thereof in fully extended position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

