



US00D353436S

United States Patent [19]

[11] Patent Number: Des. 353,436

Hess

[45] Date of Patent: ** Dec. 13, 1994

[54] EMERGENCY WATER STORAGE TANK

5,029,612 7/1991 Simbulan .
5,217,140 6/1993 Undahl 220/4.12 X
5,252,302 10/1993 Schmidt et al. 220/565 X

[76] Inventor: Mark Hess, 730 Laurel St.,
Edmonds, Wash. 98020

Primary Examiner—Wallace R. Burke
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: 14 Years

[21] Appl. No.: 6,629

[57] CLAIM

[22] Filed: Apr. 2, 1993

The ornamental design for a emergency water storage tank, as shown and described.

[52] U.S. Cl. D23/202

[58] Field of Search 137/592, 587, 216;
220/628, 635-636, 4.12, 4.14, 565, 561, 1.5, 2;
206/503, 505, 511, 515; D23/202

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 318,515 7/1991 Oswald D23/202
3,654,637 4/1972 Young .
3,735,895 5/1973 Roper 220/628 X
4,006,838 2/1977 Baumann et al. 220/4.12 X
4,718,452 1/1988 Maitland .

FIG. 1 is a front, top and side perspective view of the emergency water storage tank embodying the design of the present invention;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6