



US00D353518S

United States Patent [19]

[11] Patent Number: Des. 353,518

Cautereels et al.

[45] Date of Patent: ** Dec. 20, 1994

[54] BOWL

[75] Inventors: Victor J. J. Cautereels, Borsbeek, Belgium; Ian Ferris, Wokingham, United Kingdom

[73] Assignee: Dart Industries Inc., Deerfield, Ill.

[**] Term: 14 Years

[21] Appl. No.: 934,076

[22] Filed: Aug. 21, 1992

[52] U.S. Cl. D7/560; D7/533; D7/532

[58] Field of Search D7/500, 533, 543, 545, D7/548, 550, 560, 562, 561, 565, 566, 584, 587, 544, 435, 536, 354, 511, 534, 509, 505, 510, 507, 542, 317, 532; D9/341, 307, 425, 434; 220/672, 444, 674, 675, 630, 771, 571.1, 710.5

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 77,281 12/1928 Bartlett .
- D. 104,342 5/1937 Duncan, 3D et al. .
- D. 104,343 5/1937 Duncan, 3D et al. .
- D. 162,085 2/1951 Rogers .
- D. 162,860 4/1951 Mercer D7/544
- D. 163,673 6/1951 Bliss .
- D. 165,249 11/1951 Soyster .
- D. 179,752 7/1985 Jagger .
- D. 196,271 9/1963 Edwards .
- D. 215,747 10/1969 Ketcham D7/533
- D. 216,730 3/1970 Carslaw .
- D. 220,845 6/1971 Mascetti D7/533
- D. 223,999 6/1972 Klose .
- D. 225,076 11/1972 Persson D7/533
- D. 225,792 1/1973 Fritsche D7/533
- D. 233,972 12/1974 Jublin .

- D. 253,216 10/1979 Trombly .
- D. 256,645 9/1980 Keough .
- D. 298,717 11/1988 Nichols et al. .
- D. 316,652 5/1991 Hunter .
- D. 323,097 1/1992 Picozza D7/542
- D. 326,586 6/1992 Embree D7/533 X
- 4,928,848 5/1990 Ballway 220/444
- 5,101,990 4/1972 Krishnakumar et al. 220/675 X

OTHER PUBLICATIONS

Stile Industria Bowl, Aug. 1961, #33, p. 20.

Primary Examiner—Alan P. Douglas

Assistant Examiner—M. N. Pandozzi

Attorney, Agent, or Firm—John A. Doninger

[57] CLAIM

The ornamental design for a bowl, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an bowl, showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a typical side elevational view thereof;

FIG. 5 is a cross-sectional view thereof on line 5—5 in FIG. 2;

FIG. 6 is a top perspective view of a bowl showing a second embodiment of our new design;

FIG. 7 is a top plan view of FIG. 6;



FIG. 8 is a bottom plan view of FIG. 6;

FIG. 9 is a front elevational view of FIG. 6;

FIG. 10 is a rear elevational view of FIG. 6;

FIG. 11 is a side elevational view of FIG. 6, the opposite side being a mirror image thereof; and,

FIG. 12 is a cross-sectional view on line 12—12 in FIG. 7.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7





FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12