



US00D353668S

# United States Patent [19]

[11] Patent Number: **Des. 353,668**

**Banks et al.**

[45] Date of Patent: **\*\* Dec. 20, 1994**

[54] **PNEUMONEEDLE**

[75] Inventors: **Thomas F. Banks**, Santa Barbara, Calif.; **William A. Mittelstadt**, Woodbury, Minn.; **Arthur V. Lang**; **Vern E. Radewald**, both of Maplewood, Minn.; **Bruce E. Nelson**, Minneapolis, Minn.

[73] Assignee: **Minnesota Mining and Manufacturing Company**, St. Paul, Minn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **8,693**

[22] Filed: **May 24, 1993**

[52] U.S. Cl. .... **D24/112; D24/130; D24/140**

[58] Field of Search ..... **604/158, 248, 170, 169, 604/164, 165, 166, 168, 51; 128/754, 752; D24/146, 147, 130, 112**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 338,955	8/1993	Gresl et al. ....	D24/112 X
4,193,400	3/1980	Loveless et al. ....	604/168
4,254,762	3/1981	Yoon .....	128/4
4,535,773	8/1985	Yoon .....	604/51
4,654,030	3/1987	Moll et al. ....	604/165

4,808,168	2/1989	Warring .....	604/158
4,869,717	9/1989	Adair .....	604/51
4,874,375	10/1989	Ellison .....	604/164
4,931,042	6/1990	Holmes et al. ....	604/164
5,057,085	10/1991	Kopans .....	604/158 X
5,098,388	3/1992	Kulkashi et al. ....	604/158
5,104,381	4/1992	Gresl et al. ....	604/164
5,137,509	8/1992	Freitas .....	604/26
5,139,485	8/1992	Smith et al. ....	604/158
5,152,754	10/1992	Plyley et al. ....	604/164
5,226,426	7/1993	Yoon .....	128/753
5,250,035	10/1993	Smith et al. ....	604/168 X
5,258,003	11/1993	Ciaglia et al. ....	604/164 X


*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—I. Simmons  
*Attorney, Agent, or Firm*—Gary L. Griswold; Walter N. Kirn; Jeffrey J. Hohenshell


[57] **CLAIM**

The ornamental design for a pneumoneedle, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a pneumoneedle showing our new design;  
FIG. 2 is a bottom view thereof, the top view being a mirror image thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is an enlarged rear end view thereof; and,  
FIG. 6 is an enlarged front view thereof.





**Fig. 1**




**Fig. 2**




**Fig. 3**



**Fig. 4**



**Fig. 5**



**Fig. 6**