



US00D353981S

United States Patent [19]

[11] Patent Number: **Des. 353,981**

Harbaugh, Jr. et al.

[45] Date of Patent: **** Jan. 3, 1995**

[54] HOOKED SAFETY IMPLEMENT

[76] Inventors: **Danny L. Harbaugh, Jr.; Daniel L. Harbaugh, Sr.**, both of R.D. 2 Box 212A, New Paris, Pa. 15554

[**] Term: **14 Years**

[21] Appl. No.: **5,906**

[22] Filed: **Mar. 15, 1993**

[52] U.S. Cl. **D8/14**

[58] Field of Search **D8/14, 367, 372; 294/19.1, 24, 26; 114/221 R**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 248,012	5/1978	Rensen	D8/367
D. 300,800	4/1989	Sutphen, Jr.	D8/14
D. 319,168	8/1991	Kossegi	D8/14
D. 345,900	4/1994	Andrews	D8/14
4,546,831	10/1985	Albertson	D8/14 X
4,720,932	1/1988	Bovino	294/26 X

OTHER PUBLICATIONS

Telestick Portable Retriever; 1991.

Primary Examiner—Bernard Ansher

Assistant Examiner—Mitchell I. Siegel

Attorney, Agent, or Firm—Rhodes & Ascolwello

[57] CLAIM

The ornamental design for a hooked safety implement, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hooked safety implement showing my new design therefor;

FIG. 2 is an enlarged fragmented perspective view thereof;

FIG. 3 is a right side elevational view of FIG. 1;


FIG. 4 is a rear elevational view of FIG. 1;

FIG. 5 is a top plan view of FIG. 1;

FIG. 6 is a left side elevational view of FIG. 1;

FIG. 7 is a front elevational view of FIG. 1; and,

FIG. 8 is a bottom plan view of FIG. 1.






FIG. 2

FIG. 1




FIG. 5




FIG. 3




FIG. 4




FIG. 6




FIG. 7

FIG. 8

