



US00D354016S

# United States Patent [19]

[11] Patent Number: **Des. 354,016**

Schubert

[45] Date of Patent: **\*\* Jan. 3, 1995**

[54] **EARRING**

[75] Inventor: **Thomas Schubert, Pforzheim, Germany**

[73] Assignee: **Breuning Schmuckwarenfabrik, Pforzheim, Germany**

[\*\*] Term: **14 Years**

[21] Appl. No.: **747,233**

[22] Filed: **Aug. 19, 1991**

[52] U.S. Cl. .... **D11/42**

[58] Field of Search ..... **D11/1-3, D11/41-46; 63/1.1, 2, 12-14.8**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 155,511	10/1949	Janousek	.....	D11/42
D. 300,413	3/1989	Hovey	.....	D11/42
1,791,567	2/1931	Meyer	.....	D11/42
2,510,511	6/1950	Mittendorf	.....	D11/42

*Primary Examiner*—Ralf T. Seifert  
*Attorney, Agent, or Firm*—Nils H. Ljungman & Associates

[57] **CLAIM**


The ornamental design for an earring, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of one embodiment of an earring;  
 FIG. 2 is a rear view of one embodiment of the earring shown in FIG. 1;  
 FIG. 3 is a left side view of one embodiment of the earring shown in FIG. 1, the right side view being a mirror image thereof;  
 FIG. 4 is a top view of one embodiment of the earring shown in FIG. 1;  
 FIG. 5 is a bottom view of one embodiment of the earring shown in FIG. 1;  
 FIG. 6 is a perspective view of one embodiment of the earring shown in FIG. 1;  
 FIG. 7 is a front view of the second embodiment of the earring;  
 FIG. 8 is a rear view of the second embodiment of the earring shown in FIG. 7;  
 FIG. 9 is a left side view of the second embodiment of

the earring shown in FIG. 7, the right side view being a mirror image thereof;  
 FIG. 10 is a top view of the second embodiment of the earring shown in FIG. 7;  
 FIG. 11 is a bottom view of the second embodiment of the earring shown in FIG. 7;  
 FIG. 12 is a perspective view of the second embodiment of the earring shown in FIG. 7;  
 FIG. 13 is a front view of the third embodiment of the earring;  
 FIG. 14 is a rear view of the third embodiment of the earring shown in FIG. 13;  
 FIG. 15 is a left side view of the third embodiment of the earring shown in FIG. 13, the right side view being a mirror image thereof;  
 FIG. 16 is a top view of the third embodiment of the earring shown in FIG. 13;  
 FIG. 17 is a bottom view of the third embodiment of the earring shown in FIG. 13;  
 FIG. 18 is a perspective view of the third embodiment of the earring shown in FIG. 13;  
 FIG. 19 is a front view of the fourth embodiment of the earring;  
 FIG. 20 is a rear view of the fourth embodiment of the earring shown in FIG. 19;  
 FIG. 21 is a left side view of the fourth embodiment of the earring shown in FIG. 19, the right side view being a mirror image thereof, without a jewelled piece;  
 FIG. 22 is a top view of the fourth embodiment of the earring shown in FIG. 19;  
 FIG. 23 is a bottom view of the fourth embodiment of the earring shown in FIG. 19;  
 FIG. 24 is a perspective view of the fourth embodiment of the earring shown in FIG. 19;  
 FIG. 25 is a front view of the fifth embodiment of the earring;  
 FIG. 26 is a rear view of the fifth embodiment of the earring shown in FIG. 25;  
 FIG. 27 is a left side view of the fifth embodiment of the earring shown in FIG. 25, the right side view being a mirror image thereof;  
 FIG. 28 is a top view of the fifth embodiment of the earring shown in FIG. 25;  
 FIG. 29 is a bottom view of the fifth embodiment of the earring shown in FIG. 25;

(Description continued on next page.)



**DESCRIPTION**

FIG. 30 is a perspective view of the fifth embodiment of the earring shown in FIG. 25;

FIG. 31 is a front view of the sixth embodiment of the earring;

FIG. 32 is a rear view of the sixth embodiment of the earring shown in FIG. 31;

FIG. 33 is a left side view of the sixth embodiment of the earring shown in FIG. 31, the right side view being a mirror image thereof;

FIG. 34 is a top view of the sixth embodiment of the earring shown in FIG. 31;

FIG. 35 is a bottom view of the sixth embodiment of the earring shown in FIG. 31;

FIG. 36 is a perspective view of the sixth embodiment of the earring shown in FIG. 31;

FIG. 37 is a front view of the seventh embodiment of the earring;

FIG. 38 is a rear view of the seventh embodiment of the earring shown in FIG. 37;

FIG. 39 is a left side view of the seventh embodiment of the earring shown in FIG. 37, the right side being a mirror image thereof;

FIG. 40 is a top view of the seventh embodiment of the earring shown in FIG. 37;

FIG. 41 is a bottom view of the seventh embodiment of the earring shown in FIG. 37;

FIG. 42 is a perspective view of the seventh embodiment of the earring shown in FIG. 37;

FIG. 43 is a front view of the eighth embodiment of the earring;

FIG. 44 is a rear view of the eighth embodiment of the earring shown in FIG. 43;

FIG. 45 is a left side view of the eighth embodiment of the earring shown in FIG. 43, the right side being a mirror image thereof;

FIG. 46 is a top view of the eighth embodiment of the earring shown in FIG. 43;

FIG. 47 is a bottom view of the eighth embodiment of the earring shown in FIG. 43;

FIG. 48 is a perspective view of the eighth embodiment of the earring shown in FIG. 43;

FIG. 49 is a front view of the ninth embodiment of the earring;

FIG. 50 is a rear view of the ninth embodiment of the earring shown in FIG. 49;

FIG. 51 is a left side view of the ninth embodiment of the earring shown in FIG. 49;

FIG. 52 is a top view of the ninth embodiment of the earring shown in FIG. 49;

FIG. 53 is a bottom view of the ninth embodiment of the earring shown in FIG. 49;

FIG. 54 is a perspective view of the ninth embodiment of the earring shown in FIG. 49;

FIG. 55 is a front view of the tenth embodiment of the earring;

FIG. 56 is a rear view of the tenth embodiment of the earring shown in FIG. 55;

FIG. 57 is a left side view of the tenth embodiment of the earring shown in FIG. 55, the right side being a mirror image thereof, without a jewelled piece;

FIG. 58 is a top view of the tenth embodiment of the earring shown in FIG. 55;

FIG. 59 is a bottom view of the tenth embodiment of the earring shown in FIG. 55;

FIG. 60 is a perspective view of the tenth embodiment of the earring shown in FIG. 55;

FIG. 61 is a front view of the eleventh embodiment of the earring;

FIG. 62 is a rear view of the eleventh embodiment of the earring shown in FIG. 61;

FIG. 63 is a left side view of the eleventh embodiment of the earring shown in FIG. 61, the right side view being a mirror image thereof;

FIG. 64 is a top view of the eleventh embodiment of the earring shown in FIG. 61;

FIG. 65 is a bottom view of the eleventh embodiment of the earring shown in FIG. 61;

FIG. 66 is a perspective view of the eleventh embodiment of the earring shown in FIG. 61;

FIG. 67 is a front view of the twelfth embodiment of the earring;

FIG. 68 is a rear view of the twelfth embodiment of the earring shown in FIG. 67;

FIG. 69 is a left side view of the twelfth embodiment of the earring shown in FIG. 67, the right side view being a mirror image thereof;

FIG. 70 is a top view of the twelfth embodiment of the earring shown in FIG. 67;

FIG. 71 is a bottom view of the twelfth embodiment of the earring shown in FIG. 67; and,

FIG. 72 is a perspective view of the twelfth embodiment of the earring shown in FIG. 67.




FIG. 1



FIG. 3




FIG. 5




FIG. 2




FIG. 4




FIG. 6




FIG. 7




FIG. 9




FIG. 11




FIG. 8




FIG. 10




FIG. 12




FIG. 13




FIG. 15



FIG. 17




FIG. 14




FIG. 16




FIG. 18




FIG. 19




FIG. 21




FIG. 23




FIG. 20




FIG. 22




FIG. 24




FIG. 25




FIG. 27




FIG. 29




FIG. 26




FIG. 28




FIG. 30




FIG. 31




FIG. 33




FIG. 35




FIG. 32




FIG. 34




FIG. 36






FIG. 37




FIG. 39




FIG. 41




FIG. 38




FIG. 40




FIG. 42




FIG. 43




FIG. 45




FIG. 47




FIG. 44




FIG. 46




FIG. 48




FIG. 49




FIG. 51




FIG. 53




FIG. 50




FIG. 52




FIG. 54




FIG. 55




FIG. 57



FIG. 59




FIG. 56




FIG. 58




FIG. 60




FIG. 61




FIG. 63




FIG. 65




FIG. 62




FIG. 64




FIG. 66




FIG. 67




FIG. 69




FIG. 71




FIG. 68




FIG. 70




FIG. 72

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 354,016  
DATED : January 3, 1995  
INVENTOR(S) : Thomas SCHUBERT

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, after item [22], insert the following Foreign Priority Data:

-- [30] Foreign Application Priority Data  
February 22, 1991 [DE] Fed. Rep. of Germany  
DM/018939--.

Signed and Sealed this  
Fifteenth Day of October, 1996

*Attest:*



BRUCE LEHMAN

*Attesting Officer*

*Commissioner of Patents and Trademarks*