



US00D354038S

United States Patent [19] Redhawk

[11] Patent Number: **Des. 354,038**

[45] Date of Patent: **** Jan. 3, 1995**

[54] PORTABLE SUN AND GLARE SHIELD

[76] Inventor: **Jim Redhawk**, P.O. Box 587,
Fairplay, Colo. 80440

[**] Term: **14 Years**

[21] Appl. No.: **15,297**

[22] Filed: **Nov. 15, 1993**

[52] U.S. Cl. **D12/191**

[58] Field of Search **D12/191; D20/33;
D10/114; 296/97.6, 97.7; 160/DIG. 3**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 131,013	1/1942	Angelich	D20/33
D. 315,528	3/1991	Nickolett	D10/114
1,224,431	5/1917	Van Vorst	296/97.7
3,679,255	7/1972	Nacarato	296/97.6
4,003,597	1/1977	Acuff	296/97.6
4,090,733	5/1978	Altschul	296/97 B
4,352,461	10/1982	Orta et al.	40/597
5,033,528	7/1991	Volcani	296/97.9
5,247,391	9/1993	Gormley	296/97.7

OTHER PUBLICATIONS

J. C. Whitney Catalog No. 115, ©1956, p. 135, clamp at ends of battery booster cables, center left side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Rhodes & Ascolillo

[57] CLAIM

The ornamental design for a portable sun and glare shield, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable sun and glare shield showing my new design on a reduced scale; the broken line drawing representing a partial view of an automotive interior is for purposes of illustration only and forms no part of my design;

FIG. 2 is a truncated right-side elevational view;

FIG. 3 is a truncated top plan view;


FIG. 4 is a truncated left-side elevational view;

FIG. 5 is a rear elevational view;

FIG. 6 is a truncated bottom plan view; and,

FIG. 7 is a front elevational view.

The portable sun and glare shield has been broken away in the middle in FIGS. 1, 2, 3, 4 and 6 of the drawings for convenience of illustration.






FIGURE 1




FIGURE 2




FIGURE 3



FIGURE 4




FIGURE 5




FIGURE 6



FIGURE 7