



US00D354043S

United States Patent [19]

[11] Patent Number: **Des. 354,043**

Noland

[45] Date of Patent: **** Jan. 3, 1995**

[54] PLUG LOCK

[76] Inventor: **Bruce Noland**, 2441 Old Bay Rd., Biloxi, Miss. 39531

[**] Term: **14 Years**

[21] Appl. No.: **4,486**

[22] Filed: **Feb. 5, 1993**

[52] U.S. Cl. **D13/156**

[58] Field of Search **D13/138, 154; 439/133, 439/134, 148, 149**

[56] References Cited

U.S. PATENT DOCUMENTS

2,415,602	2/1947	Monaco	174/48
2,654,073	9/1953	Katz	439/134
2,664,734	1/1954	McEaney	439/134
2,733,416	1/1956	Evalt	439/134
2,759,492	8/1956	Benson et al.	439/134 X
4,566,297	1/1986	Hawley	439/134 X
4,691,974	9/1987	Pinkerton	439/147
4,812,131	3/1989	Sieverman	439/133 X
4,895,527	1/1990	Brown	439/147
5,055,057	10/1991	Boyer	439/133 X
5,190,466	3/1993	McVey	439/133 X

OTHER PUBLICATIONS

Adapter 5272 on p. M-1 of *Bryant Wiring Devices Catalog* BDB-1504 printed Jun. 1987.

Lightning bolt symbols on p. 140 of *Henry Dreyfuss Symbol Sourcebook*, ©1972.

Lightning bolt insignia 152 on p. 33 of *American Badges & Insignia* by Evans E. Kerrigan, ©1967.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Joel Sincavage

Attorney, Agent, or Firm—Terry M. Gernstein

[57] CLAIM

The ornamental design for a plug lock, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the plug lock showing my new design;

FIG. 2 is a front end elevational view thereof;


FIG. 3 is a rear end elevational view thereof;

FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front and upper left perspective thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6

