



US00D354121S

United States Patent [19]**Kawamura et al.****[11] Patent Number: Des. 354,121****[45] Date of Patent: ** Jan. 3, 1995****[54] COMBINED TOILET, TOILET SEAT AND TOILET SEAT COVER****[75] Inventors:** Sejiro Kawamura; Noriko Yoshii,
both of Kitakyushu, Japan**[73] Assignee:** Toto Ltd., Fukuoka, Japan**[**] Term:** 14 Years**[21] Appl. No.:** 1,004**[22] Filed:** Oct. 30, 1992**[30] Foreign Application Priority Data**

May 1, 1992 [JP] Japan 4-13066

[52] U.S. Cl. D23/295**[58] Field of Search** D23/295-301;
4/420.1-420.5, 443-448**[56] References Cited****U.S. PATENT DOCUMENTS**

D. 268,779 4/1983 Daman D23/295

D. 275,515 9/1984 Kaiser D23/295


D. 275,599 9/1984 Enthoren D23/300
D. 288,588 3/1987 Stairs, Jr. D23/295
D. 288,589 3/1987 Stairs, Jr. D23/295
D. 288,590 3/1987 Stairs, Jr. D23/295

*Primary Examiner—James R. Largen**Attorney, Agent, or Firm—Finnegan, Henderson,
Farabow, Garrett & Dunner***[57]****CLAIM**

The ornamental design for a combined toilet, toilet seat and toilet seat cover, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined toilet, toilet seat and toilet seat cover showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a perspective view taken from the top, front and left side thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7