



US00D354152S

United States Patent [19]

[11] Patent Number: **Des. 354,152**

Mathews

[45] Date of Patent: **** Jan. 3, 1995**

[54] **BLOW DRYER ATTACHMENT**

4,495,958 1/1985 Roeder 401/183 X
4,605,019 8/1986 Reynolds .
4,759,135 7/1988 Scivoletto 34/97

[76] Inventor: **David A. Mathews**, 5112 Auckland Ave., North Hollywood, Calif. 91601

FOREIGN PATENT DOCUMENTS

309725 9/1955 Switzerland 132/114

[**] Term: **14 Years**

Primary Examiner—B. J. Bullock
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **567,342**

[22] Filed: **Aug. 14, 1990**

[52] U.S. Cl. **D28/18**

[57] **CLAIM**

[58] Field of Search D28/18, 25, 31; 132/212, 112-118, 271, 272; 34/96-101

The ornamental design for a blow dryer attachment, as shown and described.


[56] **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

FIG. 1 is a perspective view of a blow dryer attachment showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof, the side opposite being a mirror image of the side shown; and,
FIG. 6 is a front elevational view thereof.

D. 314,840	2/1991	Grayley	D28/25
1,431,943	10/1922	Gee	132/114
1,574,418	2/1926	Coviello	132/113 X
2,381,048	8/1945	Habstad	132/113
2,624,348	11/1953	Matson	132/114
4,138,827	2/1979	Baugh	34/98
4,207,909	6/1980	Wilcher	132/212






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

