



US00D354232S

United States Patent [19]

[11] Patent Number: Des. 354,232

Inora

[45] Date of Patent: ** Jan. 10, 1995

[54] TRAVEL ALARM CLOCK

[75] Inventor: Yasuo Inora, Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 5,302

[22] Filed: Mar. 1, 1993

[52] U.S. Cl. D10/18; D10/14;
D10/2; D10/53

[58] Field of Search D10/1-40,
D10/122-132; 368/10, 276-277, 285

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 213,800 4/1969 Bieber D10/2
- D. 225,427 12/1972 Linder D10/14 X
- D. 234,496 3/1975 Johnson D10/14
- D. 258,120 2/1981 Muramatsu D10/14 X
- D. 279,869 7/1985 Tanaka D10/53
- D. 288,536 3/1987 Tanaka D10/53
- D. 303,222 9/1989 Iacovelli D10/57
- D. 321,661 11/1991 Shimamura D10/26 X

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a travel alarm clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a travel alarm clock showing my new design with the lid opened;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a front elevational view thereof with the lid closed;


FIG. 8 is a rear elevational view thereof with the lid closed;

FIG. 9 is a top plan view thereof with the lid closed;

FIG. 10 is a bottom plan view thereof with the lid closed;

FIG. 11 is a left side elevational view thereof with the lid closed; and,

FIG. 12 is a right side elevational view thereof with the lid closed.






FIG. 1




FIG. 6




FIG. 2




FIG. 5




FIG. 3




FIG. 4




FIG. 7




FIG. 12




FIG. 8



FIG. 11




FIG. 9




FIG. 10