



US00D354243S

United States Patent [19]

[11] Patent Number: **Des. 354,243**

Soares

[45] Date of Patent: **** Jan. 10, 1995**

[54] **VEHICLE OBSTACLE DETECTOR**

[76] Inventor: **Rogério Soares, 553 Garfield Ave., Belford, N.J. 07718**

[**] Term: **14 Years**

[21] Appl. No.: **12,339**

[22] Filed: **Aug. 30, 1993**

[52] U.S. Cl. **D10/70**

[58] Field of Search **D10/46, 70; 33/556, 33/557, 558, 559; 116/28 A, 28 R; 200/61.41-61.44; 340/435, 436, 437, 595, 596, 665**

4,551,722 11/1985 Tsuda et al. .
4,833,469 5/1989 David .
5,159,837 11/1992 Wada .
5,293,152 3/1994 Bussin et al. 340/435

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Mathews, Woodbridge & Collins

[57] **CLAIM**

The ornamental design for a vehicle obstacle detector, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of the vehicle obstacle detector showing new my design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a top plan view thereof, the undisclosed opposite side being a mirror image; and, FIG. 4 is a side elevational view thereof, the undisclosed opposite side being a mirror image. The electrical cords have been shown broken away for ease of illustration and the broken line showing of FIG. 1 is a typical distance indicator.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 328,436 8/1992 Fuerst et al. D10/70
2,750,583 6/1956 McCullough .
3,716,833 2/1973 Roth .
4,015,232 3/1977 Sindle .
4,196,412 4/1980 Sluis et al. .
4,232,286 11/1980 Voll .
4,284,971 8/1981 Lowry et al. .
4,447,800 5/1984 Kasuya et al. .






FIG. 2




FIG. 3




FIG. 4

