



US00D354244S

# United States Patent [19]

[11] Patent Number: **Des. 354,244**

Gibbons et al.

[45] Date of Patent: **\*\* Jan. 10, 1995**

[54] **BATTERY MONITOR**

5,185,566 2/1993 Goedken et al. .... 320/48  
5,254,952 10/1993 Salley et al. .... 324/426 X

[75] Inventors: **Gerard P. Gibbons; Vuford L. Lynde,**  
both of Calgary, Canada

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Antoine D. Davis

[73] Assignee: **Battery Master Inc.,** Calgary,  
Canada

*Attorney, Agent, or Firm*—Murray E. Thrift; Adrian D.  
Battison; Stanley G. Ade

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **12,528**

The ornamental design for a battery monitor, as shown  
and described.

[22] Filed: **Sep. 3, 1993**

[52] U.S. Cl. .... **D10/77; D10/78**

### DESCRIPTION

[58] Field of Search ..... **D10/77, 78; 320/21,**  
**320/39, 40, 43, 48; 324/105, 156, 160, 426, 427,**  
**428, 430, 431, 435, 436; 340/636, 661, 663, 786**

**FIG. 1** is a front view of a battery monitor showing the  
instant design;

**FIG. 2** is a left side view of the battery monitor;

**FIG. 3** is a rear view of the battery monitor;

**FIG. 4** is a right side view of the battery monitor;



**FIG. 5** is a bottom view of the battery monitor; and,

**FIG. 6** is a top view of the battery monitor.

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 244,125 4/1977 Van Den Haak ..... D10/77






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6