



US00D354297S

United States Patent [19]
Pokorny

[11] **Patent Number: Des. 354,297**
[45] **Date of Patent: ** Jan. 10, 1995**

[54] **WET AND DRY PROCESSOR**

[75] **Inventor: Wolfgang Pokorny, Donaueschingen, Germany**

[73] **Assignee: Pokorny GmbH, Donaueschingen, Germany**

[**] **Term: 14 Years**

[21] **Appl. No.: 6,091**

[22] **Filed: Mar. 15, 1993**

[30] **Foreign Application Priority Data**

Sep. 15, 1992 [XH] Hague Agreement DM/023 889

[52] **U.S. Cl. D15/199**

[58] **Field of Search D15/199; D10/46, 75; 406/34-37, 51, 77, 82, 84, 87, 89; 134/902, 184, 1, 2, 3, 26, 95.1, 95.2, 102.3, 166 R, 201; 15/DIG. 12, DIG. 13; 156/636**

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,290,361 3/1994 Hayashida et al. 134/26 X
5,301,700 4/1994 Kamikawa et al. 134/166 R X
5,311,893 5/1994 Nishi 134/95.2
5,320,706 6/1994 Blackwell 156/636

Primary Examiner—Alan P. Douglas

Assistant Examiner—Antoine D. Davis

Attorney, Agent, or Firm—Robert W. Becker & Associates

[57] **CLAIM**

The ornamental design for a wet and dry processor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wet and dry processor showing my new design;

FIG. 2 is a rear view thereof;


FIG. 3 is a front view thereof;

FIG. 4 is a view of one side thereof;

FIG. 5 is a view of the other side thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is a top view thereof.






FIG-1




FIG-2




FIG-3




FIG-4




FIG-6




FIG-5




FIG-7