



US00D354383S

**United States Patent** [19]  
**Smith**

[11] **Patent Number: Des. 354,383**  
[45] **Date of Patent: \*\* Jan. 10, 1995**

[54] **TIRE MOVING ELEMENT**  
[76] **Inventor: Robert D. Smith, 3416 N. Gratton Rd., Denair, Calif. 95316**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 13,356**  
[22] **Filed: Sep. 23, 1993**  
[52] **U.S. Cl. .... D34/23; D34/26**  
[58] **Field of Search .... D34/12, 26, 24, 23; 280/47.23, 47.29, 47.26, 79.11, 47.21**

4,478,429 10/1984 Adams ..... 280/47.29  
4,571,142 2/1986 Niewald .  
4,771,531 9/1988 Asher .

*Primary Examiner—Kay H. Chin*  
*Attorney, Agent, or Firm—Terry M. Gernstein*

[57] **CLAIM**


The ornamental design for a tire moving element, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and side perspective view of the tire moving element showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

D. 241,925 10/1976 Adams ..... D34/26  
D. 310,283 8/1990 Faykosh et al. .... D34/23  
2,546,509 3/1951 Huff ..... 280/47.23  
4,123,038 10/1978 Meyers .






FIG. 1.




FIG. 2.




FIG. 6.

FIG. 3.




FIG. 4.




FIG. 5.

