



US00D354387S

United States Patent [19]

[11] Patent Number: **Des. 354,387**

Wittmann

[45] Date of Patent: **** Jan. 17, 1995**

[54] **STREAKED SKI BOOT**

[75] Inventor: **Walter Wittmann, Köflach, Austria**

[73] Assignee: **Koflach Sport Gesellschaft m.b.H & Co. KG, Wagrain, Austria**

[**] Term: **14 Years**

[21] Appl. No.: **839,497**

[22] Filed: **Feb. 20, 1992**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 781,942, Oct. 22, 1991, abandoned.

[30] **Foreign Application Priority Data**

Apr. 23, 1991 [AT]	Austria	993/91
Apr. 23, 1991 [AT]	Austria	994/91
Apr. 23, 1991 [AT]	Austria	995/91
Apr. 23, 1991 [AT]	Austria	996/91
Apr. 23, 1991 [AT]	Austria	997/91
Apr. 23, 1991 [AT]	Austria	998/91
Apr. 23, 1991 [AT]	Austria	999/91

[52] U.S. Cl. **D2/904**

[58] Field of Search D2/264, 265, 276, 314, D2/904; 36/45, 83, 84, 112-117

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 223,791	6/1972	Barrault	D9/904
D. 273,719	5/1984	Pozzobon	D2/904
D. 274,954	8/1984	Bourgue	D2/904
D. 325,663	4/1992	Barret et al.	D2/904

Primary Examiner—Louis S. Zarfaz
Attorney, Agent, or Firm—Collard & Roe

[57] **CLAIM**

The ornamental design for a streaked ski boot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a streaked ski boot, complete with upper part and lower part;
 FIG. 2 is a side view of the outside of the boot of FIG. 1;
 FIG. 3 is a side view of the inside of the boot of FIG. 1;
 FIG. 4 is a front view of the boot of FIG. 1;
 FIG. 5 is a back view of the boot of FIG. 1;
 FIG. 6 is a bottom view of the boot of FIG. 1;
 FIG. 7 is a top view of the boot of FIG. 1;
 FIG. 8 is a perspective view of the lower part of the boot (without the upper part);
 FIG. 9 is a side view of the outside of the lower part of the boot;
 FIG. 10 is a side view of the inside of the lower part of the boot;
 FIG. 11 is a front view of the lower part of the boot;
 FIG. 12 is a back view of the lower part of the boot;
 FIG. 13 is a bottom view of the lower part of the boot;
 FIG. 14 is a top view of the lower part of the boot;
 FIG. 15 is a perspective view of the upper part of the boot;
 FIG. 16 is a side view of the outside of the upper part of the boot;
 FIG. 17 is a side view of the inside of the upper part of the boot;
 FIG. 18 is a front view of the upper part of the boot;
 FIG. 19 is a back view of the upper part of the boot;
 FIG. 20 is a bottom view of the upper part of the boot;
 and,
 FIG. 21 is a top view of the upper part of the boot.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig.9



Fig.10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig.16




Fig.17




Fig.18




Fig.19




Fig. 20




Fig. 21

