



US00D354416S

# United States Patent [19]

[11] Patent Number: Des. 354,416

Cautereels et al.

[45] Date of Patent: \*\* Jan. 17, 1995

[54] DRINKING TUMBLER WITH BASE AND SIPPER

[75] Inventors: Victor J. J. Cautereels, Borsbeek, Belgium; Ian Ferris, Wokingham, United Kingdom

[73] Assignee: Dart Industries Inc., Deerfield, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 932,859

[22] Filed: Aug. 20, 1992

[52] U.S. Cl. .... D7/507; D7/510; D7/511; D7/534

[58] Field of Search ..... D7/509, 510, 511, 512, D7/513, 514, 507, 530, 532, 528, 533, 317, 536, 584, 545, 548, 392, 543, 534; D9/560, 533, 538, 539, 564, 551, 542, 307; D24/199, 197; D12/114; 220/630, 912, 669, 675, 755, 771; 65/66, DIG. 10

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 69,133 12/1925 Haviland ..... D7/536
- D. 77,281 12/1928 Bartlett .
- D. 90,060 6/1933 Barbiers ..... D7/530
- D. 104,342 5/1937 Duncan, 3D, et al. .
- D. 104,343 5/1937 Duncan, 3D et al. .
- D. 162,085 2/1951 Rogers .
- D. 163,673 6/1951 Bliss .
- D. 165,249 11/1951 Soyster .
- D. 165,778 1/1952 Olsen .
- D. 196,271 9/1963 Edwards .
- D. 216,730 3/1970 Carslaw .
- D. 223,999 6/1972 Klose .
- D. 233,972 12/1974 Juhlin .

- D. 253,216 10/1979 Trombly .
- D. 255,858 7/1980 Ashton ..... D7/536
- D. 256,645 9/1980 Keough .
- D. 259,231 5/1981 Kozlow, Sr. .
- D. 270,039 8/1983 Lipscombe ..... D9/307 X
- D. 279,752 7/1985 Jagger .
- D. 298,717 11/1988 Nichols et al. .
- D. 310,567 9/1990 Fitzpatrick .
- D. 316,652 5/1991 Hunter .
- D. 327,818 7/1992 Haralson et al. .... D7/534
- D. 334,869 4/1993 Mills ..... D7/536 X
- D. 343,763 2/1994 Zimmerman ..... D7/545 X
- 2,169,426 8/1939 Morton ..... 65/66
- 4,756,440 7/1988 Gartner .

Primary Examiner—Alan P. Douglas  
Assistant Examiner—M. N. Pandozzi  
Attorney, Agent, or Firm—John A. Doninger

[57] **CLAIM**

The ornamental design for a drinking tumbler with base and sipper, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a drinking tumbler with base and sipper, showing our new design; FIG. 2 is an exploded elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a front elevational view thereof; FIG. 7 is a side elevational view thereof, the opposite side being a mirror image; FIG. 8 is an enlarged cross-sectional view thereof on line 8—8 in FIG. 7; and, FIG. 9 is an enlarged cross-sectional view thereof on line 9—9 in FIG. 5.




FIG. 3




FIG. 1







FIG. 4






9 ← FIG. 5



9 ←

FIG. 7



8 →




FIG. 6



FIG. 8




FIG. 9

