



US00D354480S

United States Patent [19]

Agata et al.

[11] Patent Number: **Des. 354,480**

[45] Date of Patent: **** Jan. 17, 1995**

[54] **IMAGE RECORD CONVERTING DEVICE**

[75] Inventors: **Nobuyuki Agata, Soka; Takeshi Komada, Yokosuka, both of Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **7,072**

[22] Filed: **Apr. 15, 1993**

[30] **Foreign Application Priority Data**

Oct. 20, 1992 [JP] Japan 4-30694

[52] U.S. Cl. **D14/107; D14/109**

[58] Field of Search D14/100, 102, 108, 109, D14/107; D13/162, 184, 199; 312/208.1, 223.2, 223.3, 194; 360/97.01, 97.04, 98.01, 99.01, 99.12; 361/600, 622, 724-728

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 314,190 1/1991 Aoyama et al. D14/100

D. 333,131 2/1993 Yamamoto D14/107

D. 344,721 3/1994 Katada et al. D14/107

Primary Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image record converting device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an image record converting device showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

