



US00D354629S

United States Patent [19]**Chapman****[11] Patent Number: Des. 354,629****[45] Date of Patent: ** Jan. 24, 1995****[54] VEHICLE SEAT**

- [75] Inventor: Christopher V. Chapman, Garden Grove, Calif.
- [73] Assignee: Isuzu Motors Limited, Tokyo, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 14,121
- [22] Filed: Oct. 13, 1993
- [52] U.S. Cl. D6/356; D6/334
- [58] Field of Search D6/334, 335, 336, 349, D6/356; 297/113, 115, 181, 188.12, 188.14, 192, 378.12, 452.41, 452.47

[56] References Cited**U.S. PATENT DOCUMENTS**

- D. 219,813 2/1971 McQueen D6/356
- D. 270,876 10/1983 Ikeda et al. D6/356
- D. 283,470 4/1986 Zimmerman D6/356
- D. 321,095 10/1991 Bockwoldt D6/356
- D. 330,118 10/1992 Linius et al. D6/356
- 3,924,893 10/1975 Ferrara 297/452.47 X

*Primary Examiner—Wallace R. Burke**Assistant Examiner—Monica A. Hannon**Attorney, Agent, or Firm—Thomas A. Gallagher***[57] CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a top, right perspective view of a vehicle seat showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a rear elevation view thereof;

FIG. 6 is a right elevation view thereof. The right side of the vehicle seat is a mirror image of the left side except that it has a recessed region for a seat belt near the top thereof;

FIG. 7 is a left elevation view thereof; and,

FIG. 8 is a left side sectional elevation view taken along section lines 8—8 of FIG. 3. This sectional view provides further details of the design which are not as apparent from the other views.

Stippling is intended to indicate portions of the design formed of a softer material than the portions shown with shading lines.



U.S. Patent

Jan. 24, 1995

Sheet 1 of 6

Des. 354,629




FIG._1

FIG. 3




FIG. 2




FIG._5





FIG._4



U.S. Patent

Jan. 24, 1995

Sheet 4 of 6

Des. 354,629




FIG._6

U.S. Patent

Jan. 24, 1995

Sheet 5 of 6

Des. 354,629




FIG._7

U.S. Patent

Jan. 24, 1995

Sheet 6 of 6

Des. 354,629




FIG._8