



US00D354672S

United States Patent [19]
Van de Peer

[11] **Patent Number: Des. 354,672**
[45] **Date of Patent: ** Jan. 24, 1995**

[54] **SPACER FOR USE IN CONCRETE CONSTRUCTION**
[75] **Inventor: Christopher Van de Peer, Seven Hills, Australia**
[73] **Assignee: Fiberslab Pty Limited, New South Wales, Australia**
[**] **Term: 14 Years**
[21] **Appl. No.: 6,562**
[22] **Filed: Mar. 31, 1993**

[30] **Foreign Application Priority Data**
Oct. 1, 1992 [AU] Australia 2785/92
[52] **U.S. Cl. D8/354**
[58] **Field of Search D8/354; 52/677, 684**


[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 232,807 9/1974 Toner D8/380
3,471,987 10/1969 Yelsma 52/684

4,063,397 12/1977 Follows 52/684
FOREIGN PATENT DOCUMENTS
612486 1/1961 Canada 52/677
1255275 11/1967 Germany 52/684
986450 3/1965 United Kingdom 52/677

Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham

[57] **CLAIM**
The ornamental design for a spacer for use in concrete construction, as shown.

DESCRIPTION
FIG. 1 is a perspective view of a spacer for use in concrete construction showing my new design;
FIG. 2 is an end elevational view thereof with the opposite end being a mirror image thereof;
FIG. 3 is a side elevational view thereof with the opposite side being a mirror image thereof; and,
FIG. 4 is a top plan view thereof with the opposite plan view being a mirror image thereof.






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4