



US00D354802S

United States Patent [19]

Bigelow

[11] Patent Number: **Des. 354,802**

[45] Date of Patent: **** Jan. 24, 1995**

[54] FOOT OPERATED FLUSHING UNIT

[76] Inventor: **Jeffrey S. Bigelow, 3713 Summerwind Ct., Oklahoma City, Okla. 73179**

[**] Term: **14 Years**

[21] Appl. No.: **836,940**

[22] Filed: **Feb. 18, 1992**

[52] U.S. Cl. **D23/309**

[58] Field of Search **D23/303, 309-312; 4/405, 408, 409, 249, 250**

| | | | |
|-----------|---------|----------------------|---------|
| 3,883,904 | 5/1975 | Wittman | 4/249 |
| 4,868,931 | 9/1989 | Schneeweiss | 4/249 X |
| 5,068,925 | 12/1991 | Salibi | 4/249 |
| 5,170,513 | 12/1992 | Ambooken et al. | 4/249 |

FOREIGN PATENT DOCUMENTS

886691 10/1943 France 4/249

Primary Examiner—James R. Largen

[57] CLAIM

The ornamental design for a foot operated flushing unit, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a foot operated flushing unit showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is an enlarged top plan view thereof; and,
 FIG. 6 is an enlarged bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|---------------|---------|
| D. 191,862 | 12/1961 | Booth | D23/309 |
| 1,585,557 | 5/1926 | Miller | 4/249 |
| 2,204,867 | 6/1940 | Rehback | 4/249 X |
| 2,467,019 | 4/1949 | Farson | 4/249 X |
| 2,679,651 | 6/1954 | Pokorny | 4/249 X |
| 3,095,582 | 7/1963 | Booth | 4/249 |




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6

