



US00D354822S

United States Patent [19]

[11] Patent Number: **Des. 354,822**

Bledsoe

[45] Date of Patent: **** Jan. 24, 1995**

[54] **BICYCLE SIGNAL LIGHT**

4,157,075 6/1979 Kirvutza .
4,365,581 12/1982 Margiloff .

[76] Inventor: **Albert J. Bledsoe**, 10710 Clear Cove,
Houston, Tex. 77041

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[21] Appl. No.: **9,312**

[57] **CLAIM**

[22] Filed: **Jun. 10, 1993**

The ornamental design for a bicycle signal light, as shown and described.

[52] U.S. Cl. **D26/28**

[58] Field of Search **D26/28-36;**
D10/114, 115; 362/72, 157, 158, 183; 340/432,
468, 469, 470, 472, 478


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 318,132 7/1991 Solow D26/28
3,478,713 11/1969 Brames .
3,520,273 7/1970 Dalfotes D10/114
4,099,222 7/1978 Cornell et al. 362/72

FIG. 1 is a front, top and side perspective view of the bicycle signal light showing my new design, with the cord broken away to indicate indeterminate length; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7