



US00D354960S

United States Patent [19]

[11] Patent Number: **Des. 354,960**

Viemeister et al.

[45] Date of Patent: **** Jan. 31, 1995**

[54] **TELEPHONE RECEIVER**

[75] Inventors: **Tucker L. Viemeister**, New York; **Stuart H. Lee**, Brooklyn; **Edmund Fu**, New York, all of N.Y.; **Robert Rienick**, Weston, Conn.; **Fran Pillersdorf**, New York; **Jennifer Burke**, Brooklyn, both of N.Y.

[73] Assignee: **Cicena, Inc.**, New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **18,759**

[22] Filed: **Feb. 15, 1994**

[52] U.S. Cl. **D14/248**

[58] Field of Search **D14/137, 138, 140, 142, D14/147, 148, 149-151, 240, 248; 379/419, 420, 424, 433, 440, 428**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 83,599 3/1931 Eaton et al. D14/248
- D. 060,180 1/1922 Thompson .
- D. 102,955 1/1937 Obergfell et al. .
- D. 183,804 10/1958 Merz et al. .
- D. 196,921 11/1963 Mattke et al. .
- D. 210,775 4/1968 Dreyfuss et al. .
- D. 211,472 6/1968 Dreyfuss et al. .
- D. 215,664 10/1969 Dreyfuss et al. .
- D. 219,029 10/1970 Dreyfuss et al. .
- D. 236,627 9/1975 Henshaw et al. .
- D. 256,465 8/1980 Tyler D14/248
- D. 270,156 8/1983 Shimizu .
- D. 282,363 1/1986 Kapper et al. .

- D. 299,027 12/1988 Boykiw .
- D. 300,317 3/1989 Yoshiharu .
- D. 304,588 11/1989 Desbarats D14/248
- D. 316,409 4/1991 Sharbaugh .
- D. 317,612 6/1991 Dalton D14/248
- D. 325,915 5/1992 Nagele et al. .
- D. 331,583 12/1992 Gallagher D14/151
- 2,050,097 8/1936 Kalenoff D14/248 X
- 2,410,434 11/1946 Edwards et al. D14/148 X
- 2,475,303 7/1949 Allen et al. D14/248 X
- 2,686,834 8/1954 Gottlieb D14/137 X
- 4,817,138 3/1989 Thomke et al. .

FOREIGN PATENT DOCUMENTS

- 0279807 5/1934 Italy .
- 0316643 5/1928 United Kingdom .
- 1215958 12/1970 United Kingdom .


Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Kane, Dalsimer, Sullivan, Kurucz, Levy, Eisele & Richard

[57] **CLAIM**

The ornamental design for a telephone receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of a telephone receiver showing our new design;
FIG. 2 is a right side plan view thereof;
FIG. 3 is a left side plan view thereof;
FIG. 4 is a rear plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a front and right perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6