



US00D355040S

# United States Patent [19]

Dalton et al.

[11] Patent Number: Des. 355,040

[45] Date of Patent: \*\* Jan. 31, 1995

## [54] FLASHLIGHT

- [75] Inventors: **David Dalton, Turramurra; John Brown, Northbridge, both of Australia**
- [73] Assignee: **Eveready Australia Pty. Limited, Rosebery, Australia**
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **2,116**
- [22] Filed: **Dec. 7, 1992**
- [52] U.S. Cl. .... **D26/37**
- [58] Field of Search ..... **D26/37-50;**  
362/157, 158, 159, 160, 161, 168, 171, 172, 173,  
178, 179, 180, 183, 184, 186, 197, 198, 201, 202,  
203, 204, 205, 206, 207, 208

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 265,594	1/1982	Mann	.....	D26/37
2,383,223	8/1945	Snyder	.....	362/184
4,268,894	5/1981	Bartunek et al.	.....	362/158
4,794,315	12/1988	Pederson et al.	.....	362/183

### OTHER PUBLICATIONS

"The Skin Diver", p. 21 of the periodical published Feb. 1987.

Primary Examiner—Wallace R. Burke  
Assistant Examiner—Marcus Jackson  
Attorney, Agent, or Firm—Breiner & Breiner


## [57] CLAIM

The ornamental design for a flashlight, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective front view of the first embodiment of a flashlight;  
FIG. 2 is a top view of FIG. 1;  
FIG. 3 is a back view of FIG. 1 thereof;  
FIG. 4 is a side view of FIG. 1 thereof;  
FIG. 5 is a front view of FIG. 1 thereof;  
FIG. 6 is a bottom view of FIG. 1 thereof;  
FIG. 7 is a perspective front view of second embodiment of our new design;  
FIG. 8 is a top view of FIG. 7 thereof;  
FIG. 9 is a back view of FIG. 7 thereof;  
FIG. 10 is a side view of FIG. 7 thereof;  
FIG. 11 is a front view of FIG. 7 thereof;  
FIG. 12 is a bottom view of FIG. 7 thereof;  
FIG. 13 is a perspective view of a third embodiment of our new design;  
FIG. 14 is a top view of FIG. 13 thereof;  
FIG. 15 is a back view of FIG. 13 thereof;  
FIG. 16 is a side view of FIG. 13 thereof;  
FIG. 17 is a front view of FIG. 13 thereof;  
FIG. 18 is a bottom view of FIG. 13 thereof;  
FIG. 19 is a perspective front view of a fourth embodiment of our new design;  
FIG. 20 is a top view of FIG. 19 thereof;  
FIG. 21 is a back view of FIG. 19 thereof;  
FIG. 22 is a side view of FIG. 19 thereof;  
FIG. 23 is a front view of FIG. 19 thereof; and,  
FIG. 24 is a bottom view of FIG. 19.

The cross-line shading on both sides of the flashlight is partially shown for ease of illustration and represents a contrasting surface and is understood to cover the entire area indicated.






Fig 1.

Fig 2.




Fig 3.




Fig 4.




Fig 5.





Fig 6.








Fig 7.

Fig 8.




Fig 10



Fig 12.




Fig 9.





Fig 11.






Fig 13.

Fig 14.




Fig 16.




Fig 18.




Fig 15.




Fig 17.




Fig 19.






Fig 20.



Fig 22.




Fig 24.



Fig 23.




Fig 21.

