



US00D355054S

United States Patent [19]
Self

[11] **Patent Number: Des. 355,054**

[45] **Date of Patent: ** Jan. 31, 1995**

[54] **BREAKABLE SEAL FOR FIRE EXTINGUISHER**

[76] **Inventor: Fred Self, 933 Parkside Dr., Richmond, Calif. 94803**

[**] **Term: 14 Years**

[21] **Appl. No.: 10,617**

[22] **Filed: Jul. 12, 1993**

[52] **U.S. Cl. D29/129; D8/382; D8/394**

[58] **Field of Search D29/1-5, D29/6-9; D8/382, 394; 24/16 PB; 292/322, 321, 318**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 342,668	12/1993	Rose et al.	D8/382
3,712,655	1/1973	Fuehrer	292/322
4,001,919	1/1977	Moberg et al.	24/16 PB
4,586,570	5/1986	Swift	292/322


Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Bielen, Peterson & Lampe








[57] **CLAIM**

The ornamental design for a breakable seal for fire extinguisher, as shown and described.

DESCRIPTION

FIG. 1 is a top left perspective view of a breakable seal for fire extinguisher showing my new design; FIG. 2 is a up plan view thereof; FIG. 3 is an inverted right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a front view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a top plan view of a second embodiment of the breakable seal for fire extinguisher; FIG. 9 is an inverted right side view thereof; FIG. 10 is a left side view thereof; FIG. 11 is a rear view thereof; FIG. 12 is a front view thereof; and, FIG. 13 is a bottom plan view thereof.








FIG-9



FIG-11




FIG-8



FIG-12




FIG-10




FIG-13