



US00D355109S

United States Patent [19]

Moine et al.

[11] Patent Number: Des. 355,109

[45] Date of Patent: ** Feb. 7, 1995

[54] OUTRIGGER CASTER SUPPORT

[75] Inventors: **David W. Moine**, North Canton; **Ronald J. Stephens**, Rittman, both of Ohio

[73] Assignee: **The Hoover Company**, North Canton, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **15,608**

[22] Filed: **Nov. 22, 1993**

[52] U.S. Cl. **D8/375**

[58] Field of Search D8/375; 16/18 R, 180 G;
D32/21, 23-24

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 213,640 3/1969 Mariol D7/6
D. 286,336 10/1986 Berfield et al. D32/23
2,046,384 7/1936 Katcher 16/18 CG
2,483,241 9/1949 Shepherd 16/18 CG
2,920,337 1/1960 Smith 15/323
3,818,541 6/1974 Daniels 16/18 R
4,827,564 5/1989 Brown 16/18 R
4,845,793 7/1989 Meyer 15/328

FOREIGN PATENT DOCUMENTS

- 2243773 11/1991 United Kingdom 16/18 CG

OTHER PUBLICATIONS

"Miller Sales Catalog" Spring Issue 1980 p. 79.
Maxi-Vac Sales Literature Copyrighted 1984 for
"Wet/Dry" Vacs by Bissell Form 803.
Maxi-Vac Sales Literature Copyrighted 1971 for "Rol-
l-E-Z-Caddy".

Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham

[57] CLAIM

The ornamental design for an outrigger caster support, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of our new ornamental design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a rear elevational view;

FIG. 6 is a cross-sectional view taken along line 6—6 in FIG. 2; and,

FIG. 7 is a top side perspective view of our new ornamental design.

The broken line representation of elements in the Figures are for illustrative purposes only and forms no part of the claimed invention.

The outrigger caster support illustrated and claimed herein is typically used for a tank type utility vacuum cleaner.






FIG. - 6




FIG. - 4




FIG. - 2




FIG. - 1




FIG. - 5




FIG. - 3

U.S. Patent

Feb. 7, 1995

Sheet 2 of 2

Des. 355,109




FIG.-7