



US00D355178S

United States Patent [19]

[11] Patent Number: **Des. 355,178**

Sawada et al.

[45] Date of Patent: **** Feb. 7, 1995**

[54] **FACSIMILE MACHINE**

[75] Inventors: **Masaji Sawada, Kyoto; Shin Takahashi, Nara, both of Japan**

[73] Assignee: **Sharp Kabushiki Kaisha, Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **9,744**

[22] Filed: **Jun. 22, 1993**

[30] **Foreign Application Priority Data**

Dec. 29, 1992 [JP] Japan 4-39013
 [52] U.S. Cl. **D14/118**
 [58] Field of Search D14/118, 124, 299;
 358/400, 401

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,187 10/1989 Komatsu D14/118

D. 315,555 3/1991 Komatsu D14/118
 D. 322,781 12/1991 Yoshida D14/118
 D. 331,051 11/1992 Inukai D14/118
 D. 331,925 12/1992 Sawada et al. D14/118
 D. 332,094 12/1992 Sawada et al. D14/118


Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a facsimile machine, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a facsimile machine according to our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a left side elevational view thereof; and,
 FIG. 7 is a bottom plan view thereof.






FIG. 1

FIG. 2




FIG. 3





FIG. 4

FIG. 5





FIG. 6

FIG. 7

