



US00D355261S

United States Patent [19]

[11] Patent Number: **Des. 355,261**

Abrams et al.

[45] Date of Patent: **** Feb. 7, 1995**

[54] **CHILD SECURITY GATE**

[75] Inventors: **Randy L. Abrams**, Leominster, Mass.; **David W. Crossley**, Woonsocket, R.I.

[73] Assignee: **Safety 1st, Inc.**, Chestnut Hill, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **6,869**

[22] Filed: **Apr. 8, 1993**

[52] U.S. Cl. **D25/38**

[58] Field of Search **D25/38-46, D25/53, 152; 256/24, 73; 52/507; 49/50, 55-57, 463, 464, 465, 466; 160/223, 224, 225**

3,000,063 9/1961 Hoog .

3,120,032 2/1964 Burnette .

3,163,205 12/1964 Gottlieb .

3,216,482 11/1965 Lindholm .

3,431,966 3/1969 Injeski .

3,489,201 1/1970 Curry, III et al. .

3,680,260 8/1972 Bauer .

3,885,616 5/1975 Berkowitz .

3,942,576 3/1976 Rickard .

4,004,325 1/1977 Hubachek .

4,367,819 1/1983 Lewis .

4,437,265 3/1984 Turro et al. .

4,470,277 9/1984 Uyeda .

4,607,455 8/1986 Bluem .

4,677,791 7/1987 Larson et al. .

4,702,036 10/1987 Johnson 49/57

4,944,117 7/1990 Gebhard et al. .

5,272,840 12/1993 Knoedler et al. 49/463

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 341,207 11/1993 Freese et al. D25/38

367,162 7/1887 Peterson .

498,574 5/1893 Ryan .

604,411 5/1898 Motley .

865,404 9/1907 Laurent .

905,142 12/1908 Bond .

1,238,294 8/1917 Hertz .

1,465,443 8/1923 Josler .

1,515,454 11/1924 Wilson .

1,849,024 3/1932 McKee .

2,199,851 5/1940 Culver .

2,295,194 9/1942 Atkinson .

2,348,561 5/1944 Mutch .

2,511,372 6/1950 Price .

2,581,857 1/1952 Harrison .

2,756,469 7/1956 Cattermole et al. .

2,803,471 8/1957 Roth .

2,896,277 7/1959 Halligan .

2,928,146 3/1960 Kuniholm .

2,982,353 5/1961 Luger .

FOREIGN PATENT DOCUMENTS

212089 5/1957 Australia .

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Wolf, Greenfield, & Sacks

[57] **CLAIM**

The ornamental design for a child security gate, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child's security gate embodying our new design with broken lines suggesting the manner in which the gate is mounted in a doorway;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a left side view thereof.





Fig. 1






Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6



Fig. 7