



US00D355272S

United States Patent [19]
Chabria

[11] **Patent Number: Des. 355,272**
[45] **Date of Patent: ** Feb. 7, 1995**

[54] **FLAT FLASHLIGHT**

DESCRIPTION

[75] Inventor: **Meena G. Chabria**, West Chicago, Ill.
[73] Assignee: **Press-A-Lite Corporation**, West Chicago, Ill.
[**] Term: **14 Years**
[21] Appl. No.: **8,439**
[22] Filed: **May 17, 1993**
[52] U.S. Cl. **D26/46**
[58] Field of Search **D26/37-50;**
362/157, 158, 183, 184, 188-203

FIG. 1 is a top view of the flat flashlight embodying the invention;
FIG. 2 is a side view thereof (the other side being a mirror image);
FIG. 3 is a front view;
FIG. 4 is a rear view; partly in section;
FIG. 5 is a bottom view thereof;
FIG. 6 is a top view of the flat flashlight of the invention showing a variant of one element thereof;
FIG. 7 is a side view of the flat flashlight shown in FIG. 6 (the other side being a mirror image);
FIG. 8 is a front view thereof;
FIG. 9 is a rear view, partly in section;
FIG. 10 is a top view of the flashlight of the invention showing a variant of the design;
FIG. 11 is a side view of the flashlight shown in FIG. 10 (the other side being a mirror image);
FIG. 12 is a front view thereof;
FIG. 13 is a rear view thereof; and,
FIG. 14 is a bottom view, partly in section, of the flat flashlight of the invention shown in FIGS. 10-13.
The fundamental design of the flat flashlight of the invention is shown in FIGS. 1-5, inclusive. The design shown in FIGS. 6-9 inclusive, is a variant showing an alternative shape of the operating button of the flashlight. The design shown in FIGS. 10-14, inclusive, is a variant showing a depressed lamp and a slightly different location of the operating button.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,052	9/1981	Henkels	D26/46
D. 277,415	1/1985	Berger	D26/46
1,306,740	6/1919	Bieber	362/189
1,872,840	8/1932	Stevenson	362/189
4,754,378	6/1988	Chen	362/200

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Lee, Mann, Smith,
McWilliams, Sweeney & Ohlson

[57] **CLAIM**

The ornamental design for a flat flashlight, as shown and described.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.



Fig. 5.




Fig. 6.




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

