



US00D355433S

United States Patent [19]
Blanda, Jr.

[11] **Patent Number: Des. 355,433**
[45] **Date of Patent: ** Feb. 14, 1995**

[54] **TREMOLO UNIT**
[75] **Inventor:** George F. Blanda, Jr., Aliso Viejo, Calif.
[73] **Assignee:** Fender Musical Instruments Corporation, Scottsdale, Ariz.
[**] **Term:** 14 Years
[21] **Appl. No.:** 14,192
[22] **Filed:** Oct. 14, 1993
[52] **U.S. Cl.** D17/21; 84/313
[58] **Field of Search** D17/14, 20, 21; 84/298, 84/299, 312 R, 313, 314 N


[56] **References Cited**

U.S. PATENT DOCUMENTS			
D. 262,292	12/1981	Carson	D17/21
D. 280,107	8/1985	Tanaka et al.	D17/21
D. 324,693	3/1992	Rose	D17/21
2,741,146	4/1956	Fender	84/313
3,143,028	8/1964	Fender	84/293
4,681,010	7/1987	Wilkinson	84/298
4,724,737	2/1988	Fender	84/313
4,763,555	8/1988	Minakuchi et al.	84/313
4,779,506	10/1988	Takeuti	84/313
4,882,967	11/1989	Rose	84/313
4,967,631	11/1990	Rose	84/313

OTHER PUBLICATIONS
The Music Trades, Nov. 1985 (Kahler's Tremolo).
Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Richard L. Gausewitz

[57] **CLAIM**
The ornamental design for a tremolo unit, as shown and described.

DESCRIPTION
FIG. 1 is an isometric view of a tremolo unit embodying my new design, the handle being cut off in order to permit the view to be large;
FIG. 2 is an enlarged top plan view of a bridge saddle shown for clarity of illustration;
FIG. 3 is a top plan view of the tremolo device;
FIG. 4 is a side elevation thereof;
FIG. 5 is a rear elevation thereof;
FIG. 6 is a front elevation thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a side elevation thereof, showing the side not shown in FIG. 4.
The characteristic features of the design reside in the upper portions thereof, above and including the horizontal plate that supports the bridge saddles.






FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.





FIG. 8.