



US00D355503S

# United States Patent [19]

[11] Patent Number: **Des. 355,503**

Cassai

[45] Date of Patent: **\*\* Feb. 14, 1995**

[54] **ADJUSTABLE ANGLE WAND FOR COSMETIC BOTTLE/CAP APPLICATORS**

[76] Inventor: **Henry J. Cassai**, 163-47 85th St., Howard Beach, N.Y. 11414

[\*\*] Term: **14 Years**

[21] Appl. No.: **786,905**

[22] Filed: **Oct. 25, 1991**

[52] U.S. Cl. .... **D28/7**

[58] Field of Search ..... **D28/7; 132/216, 218, 132/320, 317; 401/122; D4/114, 116, 121, 128, 138**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 282,107	1/1986	Cassai et al. ....	D28/7
D. 317,061	5/1991	Cassai et al. ....	D28/7
D. 324,585	3/1992	Cassai .....	D28/7
4,165,755	8/1979	Cassai .....	D28/7 X
4,428,388	1/1984	Cassai et al. ....	D28/7 X

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—C. Tuttle

[57] **CLAIM**

The ornamental design for an adjustable angle wand for cosmetic bottle/cap applicators—as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded side elevational view of an adjustable angle wand for cosmetic bottle/cap applicators showing my new design, its opposite side being the same;

FIG. 2 is an exploded front elevational view of FIG. 1, its rear view being the same;

FIG. 3 is an exploded top plan view of FIG. 2, with the upper extension wand segment/brush receptacle in an alternative position;

FIG. 4 is an assembled side elevational view of FIG. 1, its opposite side being the same;

FIG. 5 is a front elevational view of FIG. 4, its rear view being the same;

FIG. 6 is a top plan view of FIG. 5;

FIG. 7 is a top plan view of FIG. 5 with the upper

extension wand segment/brush receptacle adjusted to an alternative position;

FIG. 8 is an exploded side elevational view of FIG. 1, shown partially in section for clarity of illustration;

FIG. 9 is an assembled side elevational view of FIG. 8;

FIG. 10 is a side elevational view of FIG. 9 with the extension wand segment/brush receptacle adjusted to an alternative position;

FIG. 11 is a side elevational view of FIG. 9, with the extension wand segment/brush receptacle adjusted to an alternative position;

FIG. 12 is a side elevational view of FIG. 4 with the extension wand segment/brush receptacle adjusted to an alternative position;

FIG. 13 is a side elevational view of FIG. 4 with the extension wand segment/brush receptacle adjusted to an alternative position;

FIG. 14 is an exploded front elevational view showing a second embodiment of my new design, its rear view being the same;

FIG. 15 is an exploded side elevational view showing a third embodiment of my new design, its opposite side being the same;

FIG. 16 is an assembled side elevational view of FIG. 15, its opposite side being the same;

FIG. 17 is a side elevational view showing a fourth embodiment of my new design, its opposite side being the same;

FIG. 18 is a side elevational view of showing a fifth embodiment of my new design, its opposite side being the same;

FIG. 19 is a front elevational view of FIG. 18, its rear view being the same;

FIG. 20 is a side elevational view showing a sixth embodiment of my new design, its opposite side being the same;

FIG. 21 is a front elevational view of FIG. 20, its rear view being the same;

FIG. 22 is an exploded side elevational view showing a seventh embodiment of my new design, its opposite side being the same;

FIG. 23 is an assembled side elevational view of FIG. 22, its opposite side being the same;

FIG. 24 is a front elevational view of FIG. 22, its rear view being the same;

FIG. 25 is a front elevational view of FIG. 22, its rear view being the same;


FIG. 26 is an exploded side elevational view showing a seventh embodiment of my new design, its opposite side being the same;

FIG. 27 is an assembled side elevational view of FIG. 26, its opposite side being the same;

FIG. 28 is a front elevational view of FIG. 26, its rear view being the same;

FIG. 29 is a front elevational view of FIG. 26, its rear view being the same;

(Description continued on next page.)



**DESCRIPTION**

FIG. 25 is a side elevational view showing an eighth embodiment of my new design, its opposite side being the same;

FIG. 26 is a front elevational view of FIG. 25, its rear view being the same;







FIG. 27 is a side elevational view showing a ninth embodiment of my new design, its opposite side being the same;

FIG. 28 is a front elevational view of FIG. 27, its rear view being the same;

FIG. 29 is an exploded side elevational view showing a tenth embodiment of my new design, its opposite side being the same; and,

FIG. 30 is an exploded front elevational view of FIG. 29, its rear view being the same.

The broken line disclosure of the cap is for illustrative purposes only and forms no part of the claimed design.






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 17




FIG. 16




FIG. 18




FIG. 19




FIG. 20







FIG. 21






FIG. 25




FIG. 26




FIG. 27




FIG. 28



