



US00D355526S

United States Patent [19]

[11] Patent Number: **Des. 355,526**

Duclos

[45] Date of Patent: **** Feb. 21, 1995**

[54] COLLAR ELEMENT OF A SHOE UPPER

1,478,467	12/1923	Binns	36/45
4,429,475	2/1984	Bensley	36/45
5,014,041	5/1991	Rosen	36/112 X

[75] Inventor: **Gary Duclos**, Newburyport, Mass.

[73] Assignee: **The Timberland Company**, Hampton, N.H.

FOREIGN PATENT DOCUMENTS

[**] Term: **14 Years**

2588164 4/1987 France 36/11.5

[21] Appl. No.: **9,728**

Primary Examiner—Louis S. Zarfaz
Attorney, Agent, or Firm—Davis Hoxie Faithfull & Hapgood

[22] Filed: **Jun. 18, 1993**

[52] U.S. Cl. **D2/973; D2/924**

[58] Field of Search **D2/896, 923, 924, 943, D2/944, 946, 972, 973, 977; 36/11, 11.5, 45, 50.1, 112**

[57] CLAIM

The ornamental design for a collar element of a shoe upper, as shown and described.


[56] References Cited

DESCRIPTION

U.S. PATENT DOCUMENTS

D. 109,215	4/1938	Gilman	D2/924
D. 170,036	7/1953	Weiss	.	
D. 254,938	5/1980	Keller	D2/924
D. 288,742	3/1987	Caretti	D2/924
D. 293,385	12/1987	Famalore	D2/924
D. 296,721	7/1988	Brown	D2/973
D. 297,591	9/1988	Brown et al.	D2/973
D. 323,922	2/1992	Emmert	D2/924
D. 325,286	4/1992	Biotteau	D2/924

FIG. 1 is a top and left side view of a collar element of a shoe upper showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken line showing of laces, a shoe upper and sole in FIG. 1 is for illustrative purposes and forms no part of the claimed design.






FIG. 2





FIG. 3

FIG. 4




FIG. 5




FIG. 6

