



US00D355694S

**United States Patent** [19]  
**Stafford, Jr.**

[11] **Patent Number: Des. 355,694**  
[45] **Date of Patent: \*\* Feb. 21, 1995**

[54] **REST FOR A HUNTING BOW**  
[76] **Inventor: J. R. Stafford, Jr., 28 Duke Dr.,  
Lawrenceville, Ga. 30245**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 5,883**  
[22] **Filed: Mar. 15, 1993**  
[52] **U.S. Cl. .... D22/107; D6/552**  
[58] **Field of Search .... D22/107; D6/552;  
124/23.1; 211/60, 86, 13; 248/309.1, 156, 176;  
224/916, 42.45**

4,729,363 3/1988 Skyba ..... 124/23 R  
4,846,140 7/1989 DiMartino ..... 248/156 X  
4,896,854 1/1990 St. Laurent ..... 248/309.1 X  
4,957,229 9/1990 Freeman ..... 124/23.1 X  
5,183,231 2/1993 Pellerin ..... 248/309.1 X

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris V. Coles  
*Attorney, Agent, or Firm*—Terry M. Gernstein


[57] **CLAIM**

The ornamental design for a rest for a hunting bow, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and side perspective view of the rest for a hunting bow showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 260,674 9/1981 Simmons et al. .... D22/107  
3,441,241 4/1969 Brooks ..... 248/156  
3,584,820 6/1971 Butcher, Sr. .... 248/156 X  
4,450,967 5/1984 Castro ..... 211/60 R X  
4,474,296 10/1984 Hartman ..... 211/13  
4,542,873 9/1985 Matherly et al. .... 248/309.1 X






FIG. 1





FIG. 2

FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7