



US00D355777S

United States Patent [19]
Emoto

[11] **Patent Number:** **Des. 355,777**
[45] **Date of Patent:** **** Feb. 28, 1995**

[54] **VEHICLE SEAT**

[75] **Inventor:** **Seiji Emoto**, Huntington Beach, Calif.
[73] **Assignee:** **Isuzu Motors Limited**, Tokyo, Japan
[**] **Term:** **14 Years**
[21] **Appl. No.:** **780,745**
[22] **Filed:** **Oct. 21, 1991**
[52] **U.S. Cl.** **D6/356; D6/334**
[58] **Field of Search** **D6/341, 356, 377, 334, D6/335, 336, 349; 297/452.17, 257, 377, 113, 115, 188.12, 188.14, 181, 192, 378.12, 452.41**

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,966,201 12/1960 Strahler D6/333 X
4,132,447 1/1979 Terada 297/378.12 X
5,188,442 2/1993 Harty et al. 297/192 X
5,246,267 9/1993 Nagashima et al. 297/113

FOREIGN PATENT DOCUMENTS

515726 8/1955 Canada 297/378.12
2615799 12/1988 France 297/115


Primary Examiner—Wallace R. Burke
Assistant Examiner—Monica A. Hannon
Attorney, Agent, or Firm—Thomas A. Gallagher

[57] **CLAIM**

The ornamental design for vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a top, right perspective view of may new vehicle seat design;
FIG. 2 is a top plan view of my new vehicle seat design;
FIG. 3 is front elevation view of my new vehicle seat design;
FIG. 4 is a rear elevation view of my new vehicle seat design;
FIG. 5 is a right elevation view of my new vehicle seat design;
FIG. 6 is a left elevation view of my new vehicle seat design;
FIG. 7 is a right elevation view of my new vehicle seats design shown with the right-hand seat reclined and shifted forward and with the center portion folded forward and shifted forward;
FIG. 8 is a top plan view of my new vehicle seats design shown with the right-hand seat reclined and shifted forward and with the center portion folded forward and shifted forward. A top plan view of a further vehicle seat, located rearward of vehicle seats according to my new vehicle seats design, is shown in phantom. The design of the reclined right-hand seat flows into the design of the further vehicle seat; and,
FIG. 9 is a right, front perspective view of my new vehicle seats design. A right, front perspective view of a further vehicle seat, located rearward of vehicle seats according to my new vehicle seat design, is shown in phantom. As in FIG. 8, the right-hand seat reclined and shifted forward and with the center portion folded forward and shifted forward and the design of the reclined right-hand seat flows into the design of the further vehicle seat.






FIG._1




FIG._2




FIG._3




FIG._4




FIG. 6




FIG. 5





FIG. 7






FIG. 9