



US00D355876S

United States Patent [19]
Diensthuber

[11] **Patent Number: Des. 355,876**

[45] **Date of Patent: ** Feb. 28, 1995**

[54] **TIRE**

[75] **Inventor: Franz Diensthuber, Schonau, Austria**

[73] **Assignee: Semperit Reifen Aktiengesellschaft,
Traiskirchen, Austria**

[**] **Term: 14 Years**

[21] **Appl. No.: 10,588**

[22] **Filed: Jul. 13, 1993**

[30] **Foreign Application Priority Data**

Jan. 28, 1993 [AT] Austria MU-261/93

[52] **U.S. Cl. D12/151**

[58] **Field of Search D12/136, 146-151;
152/209 R, 209 B, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 158,031	4/1950	Wilcox	D12/136
D. 329,627	9/1992	Attinello et al.	D12/151
D. 344,054	2/1994	Attinello et al.	D12/151
4,667,717	5/1987	Graas	D12/151


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sandler, Greenblum & Bernstein

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire, showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; and, FIG. 2 is a front elevation view thereof.






FIG. 1




FIG. 2