



US00D355902S

# United States Patent [19]

Iino

[11] Patent Number: **Des. 355,902**

[45] Date of Patent: **\*\* Feb. 28, 1995**

[54] **KEYBOARD FOR ELECTRONIC COMPUTER**

[75] Inventor: **Masaaki Iino**, Yokohama, Japan

[73] Assignee: **Kabushiki Kaisha Toshiba**, Kanagawa, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **10,066**

[22] Filed: **Jun. 29, 1993**

[30] **Foreign Application Priority Data**

Mar. 22, 1993 [JP] Japan ..... 5-7794

[52] U.S. Cl. .... **D14/115; D18/1**

[58] Field of Search ..... **D14/100, 101, 106, 115; D18/1, 7, 11, 12; 235/145 A, 145 R; 341/22, 23; 345/168; 364/708.1; 400/472, 479, 486, 488, 489, 484, 485**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 267,879 2/1983 Keely et al. .... D14/100

D. 278,720 5/1985 Funato et al. .... D18/1

D. 300,534 4/1989 Luong ..... D14/100

D. 310,209 8/1990 Kasprzycki ..... D14/100

D. 320,005 9/1991 Stead ..... D14/100

D. 325,199 4/1992 Gowda et al. .... D14/115

**FOREIGN PATENT DOCUMENTS**

M8908304 1/1991 Germany .

856091 12/1992 Japan .

108682 12/1990 Rep. of Korea .

*Primary Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—Banner, Birch, McKie & Beckett

[57] **CLAIM**

The ornamental design for a keyboard for electronic computer, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of a keyboard for electronic computer showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof showing the cover of the cord receptacle and tilting stand in moved position;

FIG. 8 is a rear elevational view thereof also showing the cover of the cord receptacle and tilting stand in moved position; and,

FIG. 9 is a top, rear and right side perspective view thereof showing the cover of the cord receptacle and tilting stand in moved position and the cord in pulled out position.





FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6






FIG.7




FIG.8




FIG.9

