



US00D355915S

United States Patent [19]

[11] Patent Number: **Des. 355,915**

Chan

[45] Date of Patent: **** Feb. 28, 1995**

[54] **COMBINED MICROPHONE AND MOUNT**

4,577,070 3/1986 Shulman 381/169

[75] Inventor: **Shiu L. Chan**, Los Altos Hills, Calif.

5,046,696 9/1991 Lee 248/205.3

5,102,399 4/1992 Chu 248/205.3

[73] Assignee: **Ess Technology, Inc.**, Fremont, Calif.

Primary Examiner—B. J. Bullock

[**] Term: **14 Years**

Attorney, Agent, or Firm—Thomas E. Schatzel

[21] Appl. No.: **10,299**

[57] CLAIM

[22] Filed: **Jul. 1, 1993**

The ornamental design for a combined microphone and mount, as shown and described.

[52] U.S. Cl. **D14/225; D14/229**

[58] Field of Search **D14/225, 226, 229; 181/242; 381/122, 168, 169; 379/431, 438; 248/205.3, 309.1**

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 237,509	11/1975	D'Amico	D14/225
D. 248,945	8/1978	Astleford et al.	D14/229
D. 265,647	8/1982	Liataud	D14/225
D. 266,242	9/1982	Radzelovage	D14/225
D. 313,802	1/1991	Peiker	D14/229
3,258,544	6/1966	DeHaan	381/91

FIG. 1 is an exploded top, front and left side perspective view of a combined microphone and mount showing my new design;

FIG. 2 is an exploded front elevational view thereof;


FIG. 3 is an exploded left side elevational view thereof, the right side being a mirror image;

FIG. 4 is an exploded rear elevational view thereof;

FIG. 5 is an exploded top plan view thereof;

FIG. 6 is an exploded bottom plan view thereof; and,

FIG. 7 is a top, front and left side perspective view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig-7