



US00D356024S

# United States Patent [19]

[11] Patent Number: **Des. 356,024**

Whitley, II et al.

[45] Date of Patent: **\*\* Mar. 7, 1995**

[54] **CHOCK FOR BOATS**

[75] Inventors: **Warwick M. Whitley, II**, Lynn Haven, Fla.; **Warwick M. Whitley, II**, Lynn Haven, Fla.

[73] Assignee: **Attwood Corporation**, Lowell, Mich.

[\*\*] Term: **14 Years**

[21] Appl. No.: **12,204**

[22] Filed: **Aug. 26, 1993**

[52] U.S. Cl. .... **D8/356**

[58] Field of Search ..... **D8/356; 114/218**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 299,311 1/1989 Whitley, II ..... D8/356  
3,125,058 3/1964 Peterson ..... 114/218

**OTHER PUBLICATIONS**

Wilcox-Crittendon, Dec. 12, 1987, p. 33, boat chock, item 20417 circled at left of page.

Attwood Product Catalog, (1985-1986), p. 38.

Attwood Product Catalog, (1991-1992), p. 52.

L. S. Brown Co. (1983), p. 27.

Perko Catalog No. 240 (copyrighted 1981), pp. i8 and i9.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—H. Baynham

*Attorney, Agent, or Firm*—Price, Heneveld, Cooper, DeWitt & Litton

[57] **CLAIM**

The ornamental design for a chock for boats, as shown and described.

**DESCRIPTION**

FIG. 1 is a side-elevation, perspective view of a chock for boats showing my new design;


FIG. 2 is an elevational view of one side thereof, the other side being a mirror image;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a elevational view of one end thereof, the other end being a mirror image; and,

FIG. 6 is a top plan view of a modified design of the chock, the modification being the provision of openings extending through the end portions of the chock, the design of the chock otherwise being identical to that disclosed in FIGS. 1-5.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6