



US00D356033S

United States Patent [19]

[11] Patent Number: **Des. 356,033**

Horvat et al.

[45] Date of Patent: **** Mar. 7, 1995**

[54] PACKAGE FOR AN ELECTRIC LAMP

5,028,000 7/1991 Chabot et al. 229/143
5,125,565 6/1992 Rogers 229/115

[75] Inventors: **David W. Horvat**, South Plainfield;
Michael R. Day, Freehold, both of
N.J.

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Philips Electronics North America
Corporation**, New York, N.Y.

861668 1/1953 Germany .
870677 3/1953 Germany .
1555199 4/1990 Russian Federation 229/115
442132 1/1968 Switzerland .
0456442 7/1968 Switzerland 229/115
1541131 10/1988 U.S.S.R. .

[**] Term: **14 Years**

[21] Appl. No.: **16,134**

OTHER PUBLICATIONS

[22] Filed: **Dec. 8, 1993**

Packaging, 1959 Cat, p. 147, Item #439.

[52] U.S. Cl. **D9/430**

Packaging, 1959 Cat, p. 259, Item #895.

[58] Field of Search D9/430, 431, 424, 418,
D9/415, 337; 229/115, 108, 8, DIG. 13;
206/551, 45.32, 418-422

Prior Philips Publication, date unknown.

Primary Examiner—Prabhakar G. Deshmukh
Attorney, Agent, or Firm—Jack E. Hacken

[56] References Cited

[57] CLAIM


U.S. PATENT DOCUMENTS

The ornamental design for a package for an electric lamp, as shown and described.

D. 339,061	9/1993	Kilmartin, III et al.	D9/430
D. 349,052	7/1994	Goldstein et al.	D9/430
1,598,235	8/1926	Barbieri	229/115 X
1,653,914	12/1927	Keppler	229/115 X
1,679,710	8/1928	Creasey .	
1,996,778	4/1935	Wellman .	
2,421,748	6/1947	Fink .	
3,185,378	5/1965	Rosenburg, Jr.	229/115
3,295,740	1/1967	Hall	229/115 X
3,357,544	12/1967	Gingher	229/115 X
3,638,848	2/1972	Heyworth	229/16
4,018,335	4/1977	Jacob et al. .	
4,039,118	8/1977	Kawaoka	222/199
4,131,198	12/1978	Fischer .	
4,339,067	7/1982	Bessey	229/115
4,682,726	7/1987	Drueck, Jr.	229/108

DESCRIPTION

FIG. 1 is a rear, left side, perspective view showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear, left side elevational view thereof;
FIG. 5 is a rear, left side, perspective view showing a second embodiment of our new design;
FIG. 6 is a top plan view of the second embodiment of FIG. 5;
FIG. 7 is a front elevational view of the second embodiment; and,
FIG. 8 is a rear, left side, elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

