



US00D356039S

United States Patent [19]
Pecukonis et al.

[11] **Patent Number:** **Des. 356,039**
[45] **Date of Patent:** **** Mar. 7, 1995**


[54] **CIRCUIT TRACER RECEIVER**
[75] **Inventors:** **Joseph P. Pecukonis**, Englewood;
Austin J. Wright, Jr., Aurora, both of
Colo.
[73] **Assignee:** **Amprobe Instrument**, a division of
Core Industries, Lynbrook, N.Y.
[**] **Term:** **14 Years**
[21] **Appl. No.:** **14,081**
[22] **Filed:** **Oct. 12, 1993**
[52] **U.S. Cl.** **D10/78**
[58] **Field of Search** **D10/46, 78; 324/156,**
324/67, 66, 508, 529, 602, 713; 181/141;
340/656, 384.6, 693; 379/21, 419, 433

[56] **References Cited**
U.S. PATENT DOCUMENTS
3,792,205 2/1974 O'Dea **379/21**

4,734,638 3/1988 Weber 324/66
4,775,832 10/1988 Pecukonis 324/67
4,945,346 7/1990 Schnieman 340/656
4,998,059 3/1991 Nigon et al. 324/67
Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—John B. Phillips; John R. Ley

[57] **CLAIM**
The ornamental design for a circuit tracer receiver, as
shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a circuit tracer receiver
showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a bottom view thereof.






Fig. 1




Fig. 3




Fig. 2




Fig. 5




Fig. 4




Fig. 6




Fig. 7