



US00D356087S

United States Patent [19]

[11] Patent Number: **Des. 356,087**

Jarrett et al.

[45] Date of Patent: **** Mar. 7, 1995**

[54] **COMBINED TELEPHONE, TELEPHONE HANDSET AND TELEPHONE ANSWERING DEVICE**

4,790,007 12/1988 Richter et al. .
4,902,079 2/1990 Kaplan et al. .

[75] Inventors: **Alastair W. Jarrett**, Fullerton; **James W. Oblak**, Redondo Beach; **David A. Sharbaugh**, Irvine; **Michinari Ueki**, Hermosa Beach, all of Calif.

FOREIGN PATENT DOCUMENTS

60-2699 1/1985 Japan .
61-181243 8/1986 Japan .

[73] Assignee: **PhoneMate, Inc.**, Torrance, Calif.

Primary Examiner—Martie Thompson
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[**] Term: **14 Years**

[21] Appl. No.: **25,431**

[57] CLAIM

[22] Filed: **Jul. 1, 1994**

The ornamental design for a combined telephone, telephone handset and telephone answering device, as shown and described.

Related U.S. Application Data

[63] Continuation of Ser. No. 9,548, Jun. 15, 1993, abandoned.

[52] U.S. Cl. **D14/151; D14/141**

[58] Field of Search **D14/137, 138, 140, 141, D14/142, 149, 150, 151, 240, 241, 144; 379/67, 70, 419, 420, 428, 434, 435, 436, 440**

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 279,372 6/1985 Baba et al. .
- D. 284,189 6/1986 Takeuchi et al. D14/151
- D. 303,386 9/1989 Iino D14/149
- D. 303,964 10/1989 Fukutome D14/151 X
- D. 306,730 3/1990 Sugano et al. D14/151
- D. 307,426 4/1990 Ohta et al. D14/149 X
- D. 311,398 10/1990 Sugano D14/142 X
- D. 312,458 11/1990 Suzuki D14/141 X
- D. 316,857 5/1991 Park D14/138
- D. 318,661 7/1991 Fuqua et al. .
- 4,491,696 1/1985 Haskins et al. .
- 4,515,998 5/1985 Pinede et al. .
- 4,517,420 5/1985 Haskins .
- 4,741,033 4/1988 Utoh et al. .

FIG. 1 is a front, top, right side perspective view of a combined telephone, telephone handset and telephone answering device showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view, seen from the bottom, of a telephone handset used in the combined device of FIGS. 1-8;

FIG. 9 is a left side view thereof, the right side view being a mirror image;


FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a right end view thereof, as seen in FIG. 8; and,

FIG. 13 is a left end view thereof, as seen in FIG. 8.

The telephone handset has been shown separately in FIGS. 8-13 for convenience of illustration.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13