



US00D356170S

United States Patent [19]

[11] Patent Number: **Des. 356,170**

Ohtaka et al.

[45] Date of Patent: **** Mar. 7, 1995**

[54] **FLASHLIGHT**

[75] Inventors: **Setsuo Ohtaka; Shigenori Suzuki,**
both of Shizuoka; **Yukihiro**
Yamamoto, Chiba, all of Japan

D. 312,138 11/1990 Burns D26/49
D. 312,509 11/1990 Sharrah D26/49
D. 314,057 1/1991 Naldi D26/49
3,835,272 9/1974 Wisenbaker 362/206
3,890,498 6/1975 Joth, Sr. 362/191

[73] Assignee: **Fuji Electromechanical Co., Ltd.,**
Tokyo, Japan

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Keck, Mahin & Cate

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **938,358**

The ornamental design for a flashlight, as described and shown.

[22] Filed: **Sep. 3, 1992**

[30] **Foreign Application Priority Data**

DESCRIPTION

Mar. 10, 1992 [JP] Japan 4-6741

[52] U.S. Cl. **D26/37**

[58] Field of Search D26/37-50;
362/157, 158, 183, 184, 185, 186, 188, 189, 190,
191, 196, 197, 198, 200, 202, 205, 206, 208

FIG. 1 is a perspective view of the inventive flashlight;
FIG. 2 is a plan view of the flashlight;
FIG. 3 is a bottom view of the flashlight;
FIG. 4 is a front view of the flashlight;
FIG. 5 is a right side view of the flashlight;
FIG. 6 is a rear view of the flashlight;
FIG. 7 is a sectional view taken along line 7—7 in FIG.
4; and
FIG. 8 is a sectional view taken along line 8—8 in FIG.
4.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 268,528 4/1983 Hung D26/49




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 6




FIG. 7

