



US00D356171S

United States Patent [19] Smith

[11] Patent Number: **Des. 356,171**

[45] Date of Patent: **** Mar. 7, 1995**

[54] **PORTABLE LIGHT FOR A HELMET**

[76] Inventor: **James M. Smith**, 170 Celia Ave.,
Boaz, Ala. 35957

[**] Term: **14 Years**

[21] Appl. No.: **13,014**

[22] Filed: **Sep. 16, 1993**

[52] U.S. Cl. **D26/39**

[58] Field of Search **D26/39, 37, 46, 48,
D26/41, 50; 362/105, 108, 157, 158, 106;
340/321**

| | | | |
|-----------|---------|----------------|-----------|
| 3,665,451 | 5/1972 | Keith | 340/321 |
| 3,793,517 | 2/1974 | Carlini | 240/60 |
| 4,156,942 | 6/1979 | Isfeld | 2/422 |
| 4,263,588 | 4/1981 | Gautier | 340/321 X |
| 4,970,631 | 11/1990 | Marshall | 362/105 |

Primary Examiner—Susan J. Lucas
Assistant Examiner—Cynthia Ramirez
Attorney, Agent, or Firm—Richard L. Miller

[57] CLAIM

The ornamental design for portable light for a helmet, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view, showing my new design for an portable light for a helmet;
FIG. 2 is a right side elevational view thereof, taken in the direction of arrow 2 in FIG. 1;
FIG. 3 is a left side elevational view thereof, taken in the direction of arrow 3 in FIG. 1;
FIG. 4 is a top elevational view thereof, taken in the direction of arrow 4 in FIG. 1;
FIG. 5 is a bottom elevational view thereof, taken in the direction of arrow 5 in FIG. 1; and,
FIG. 6 is a rear elevational view thereof, taken in the direction of arrow 6 in FIG. 4.

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-------------------|----------|
| D. 121,616 | 7/1940 | Pfauser | D26/46 X |
| D. 128,274 | 7/1941 | Brodton | D26/46 |
| D. 170,316 | 9/1953 | Gottlieb | D26/39 |
| D. 228,465 | 9/1973 | Louis | D26/39 |
| D. 269,125 | 5/1983 | Mora et al. | D26/39 |
| D. 286,203 | 10/1986 | Crane et al. | D26/39 |
| D. 326,924 | 6/1992 | Carroll | D26/39 |
| D. 349,970 | 8/1994 | Chien et al. | D26/38 |
| 2,595,287 | 5/1952 | Perry | D26/38 X |
| 3,309,691 | 3/1967 | Bonanno | 340/321 |






FIG. 2




FIG. 4




FIG. 1




FIG. 3



FIG. 5




FIG. 6