



US00D356238S

United States Patent [19]

[11] Patent Number: **Des. 356,238**

Moore et al.

[45] Date of Patent: **** Mar. 14, 1995**

[54] **BULLNOSE SADDLE PLIERS**

4,953,248 9/1990 Trombetta 7/127

[76] Inventors: **Wayland F. Moore, Box 665; Glynard Moore, Box 586, both of Matador, Tex. 75224**

Primary Examiner—Prabhakar G. Deshmukh
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Konneker Bush Hitt & Chwang

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **8,377**

The ornamental design for a bullnose saddle pliers, as shown and described.

[22] Filed: **May 17, 1993**

[52] U.S. Cl. **D8/52**

DESCRIPTION

[58] Field of Search **D8/51, 52, 55; 7/108, 7/125, 129, 130, 132, 137, 127**

FIG. 1 is a perspective view taken from the top, front, and left side of the bullnose saddle pliers showing our new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 143,769	2/1946	Stiefvater	D8/55
D. 307,699	5/1990	Suganami	D8/52
D. 326,596	6/1992	Trombetta	D8/55
D. 334,521	4/1993	Simpson	D8/55
1,364,829	1/1921	Berg	7/130
1,493,477	5/1924	Crosby	7/130
2,572,237	10/1951	Andrews	7/137
3,014,387	12/1961	Medlin	7/130


FIG. 2 is a front elevational view thereof, the rear side being the same as the front;

FIG. 3 is a right side elevational view thereof, the left side being the same as the right side;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is an alternate perspective view thereof taken from the top, front and left side, with the jaw in an open position and the handles shown fragmentarily for ease of illustration.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6