



US00D356272S

**United States Patent** [19]  
**March**

[11] **Patent Number: Des. 356,272**

[45] **Date of Patent: \*\* Mar. 14, 1995**

[54] **ARC LAYOUT DEVICE**

[76] **Inventor: Richard A. March**, Star Rte. Box 228,  
Clancy, Mont. 59634

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 16,684**

[22] **Filed: Dec. 16, 1993**

[52] **U.S. Cl. .... D10/65**

[58] **Field of Search .... D10/62, 65; 33/1 C,**  
33/1 G, 1 SP, 529, 542, 544.5, 544.6, 666, 669,  
670, 671, 672, 673, 678

3,897,635 8/1975 Peren et al. .... 33/1 C X  
4,149,316 4/1979 Martin ..... 33/1 CC X  
5,121,556 6/1992 Moore ..... 33/673

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for an arc layout device, as shown and described.


**DESCRIPTION**

FIG. 1 is a front, top and side perspective view of the arc layout device showing my new design;  
FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2;  
FIG. 3 is a side elevational view thereof;  
FIG. 4 is a side elevational view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 345,513 3/1994 Syrett ..... D10/65  
1,193,676 8/1916 Emerson ..... 33/670 X  
1,314,184 8/1919 Clark ..... 33/673  
2,341,875 2/1944 Malik .  
2,607,990 8/1952 Payamps ..... 33/678 X






FIG. 1.




FIG. 3.




FIG. 2.



FIG. 4.



FIG. 6.



FIG. 5.